

VOLUME 10

1975

AUTHORS

A

- Abraham, S. See E. Raghupathy
 — See G. Ananda Rao
 Ackman, R. G., C. A. Eaton, John Kinneman and Carter Litchfield. Lipids of freshwater dolphin *Sotalia fluviatilis*: Comparison of Odontocete bioacoustic lipids and habitat, 44
 — See M. Paradis
 — See J. C. Pascal
 Adamson, G. L. See F. T. Lindgren
 Adhikary, P. K. See S. K. Das
 Adron, J. W. See J. M. Owen
 Alcalde, Antonio. See William R. Nes
 Ammon, Vernon. See Montaz K. Wassef
 Anderson, L. E. See H. M. Jenkin
 — See E. McMeans
 Anderson, Robert E. See Peter A. Dudley
 Anderson, W. H., J. L. Gellerman and H. Schlenk. Short communication re acetylenic acids from mosses, 501
 — See Joanne L. Gellerman
 Andersson, Bengt Å., William W. Christie and Ralph T. Holman. Mass spectrometric determination of positions of double bonds in polyunsaturated fatty acid pyrrolidides, 215
 — and Ralph T. Holman. Short communication re mass spectrometric localization of methyl branching in fatty acids using acylpyrrolidides, 716
 Aoyama, Y. See T. Nakamura
 Askew, E. W., H. Barakat, G. L. Kuhl and G. L. Dohm. Response of lipogenesis and fatty acid synthesis to physical training and exhaustive exercise in rats, 491

B

- Babiak, Z., T. L. Carlisle and C. E. Holmlund. Short communication re inhibition of diploterol synthesis in *Tetrahymena pyriformis* by a hypocholesteremic compound, 437
 Baker, N. See W. A. Baumgartner
 — See R. Kannan
 Bandurak, Eric L. and Bartholomew Nagy. Nature of alkanes in beef heart lipids, 67
 Barakat, H. See E. W. Askew
 Basu, S. P. See A. Sengupta
 Baumgartner, W. A., N. Baker, V. A. Hill and E. T. Wright. Short communication re novel interference in thiobarbituric acid assay for lipid peroxidation, 309
 Belea, Adonis. See Tibor Farkas
 Bellini, F. See A. D'Alessandro
 Benson, A. A. See J. S. Patton
 Bergh, C.-H., G. Larson and B. E. Samuelsson. Fatty acid and aldehyde composition of major phospholipids in salt gland of marine birds and spiny dogfish, 299
 Bhattacharyya, Ashim K. See M. K. Govind Rao
 Bigham, D. A. See G. Phillipou
 Binaglia, L. See R. Roberti
 Blomquist, Gary J., Douglas C. McCain and Larry L. Jackson. Incorporation of oxygen-18 into secondary alcohols of grasshopper *Melanoplus sanguinipes*, 303
 Bohannon, M. B. and R. Kleiman. Unsaturated C₁₈ α -hydroxy acids in *Salvia nilotica*, 703
 Boncinelli, L. See A. D'Alessandro
 Bond, J. H. See M. D. Levitt
 Breckenridge, W. C., J. L. Halloran, K. Kovacs and M. D. Silver. Increase of gangliosides in atherosclerotic human aortas, 256
 Breimer, M. E., K.-A. Karlsson and B. E. Samuelsson. Presence of phytosphingosine combined with 2-hydroxy fatty acids in sphingomyelins of bovine kidney and intestinal mucosa, 17

- Brenner, Rodolfo R. See Irma N. T. de Gómez Dumm
 — See G. Gaspar
 — See Anibal M. Nervi
 Bruns, D. See J. E. Kinsella

C

- Canioni, P. See D. Lairon
 Carlisle, T. L. See Z. Babiak
 Catala, Angel. See Anibal M. Nervi
 Cenedella, R. J., C. Galli and R. Paoletti. Brain free fatty acid levels in rats sacrificed by decapitation versus focused microwave irradiation, 290
 Chapman, C. See W. C. Tan
 Chattopadhyay, P. K. and J. Dutta. Effects of bacteriophage M13 infection upon phospholipid and fatty acid compositions of *Escherichia coli*, 497
 Cheng, Chak-Ki and Shri V. Pande. Erucic acid metabolism by rat heart preparations, 335
 Chiostrì, R. See A. D'Alessandro
 Christianson, D. D. and H. W. Gardner. Substitution reactions of linoleic and hydroperoxide isomerase, 448
 — See H. W. Gardner
 Christie, W. W., M. L. Hunter, J. H. Moore, R. C. Noble and R. G. Vernon. Short communication re effect of diet on the composition of cholesteryl esters of sheep adrenals, 649
 — J. H. Moore, R. C. Noble and R. G. Vernon. Short communication re changes with diet in the composition of phosphatidyl choline of sheep bile, 645
 Christie, William W. See Bengt Å. Andersson
 Clark, S. B. See S. M. Sabesin
 Cmelik, S. H. W. and H. Ley. Distribution of cholesteryl esters and other lipids in subcellular fractions of the adrenal gland of the pig, 707
 Cohen, B. I., R. F. Raicht, G. Nicolau and E. H. Mosbach. Effects of phenobarbital upon bile acid synthesis in two strains of rats, 168
 Cohen, C. F. See W. E. Robbins
 — See M. J. Thompson
 Comai, K., S. J. Farber and J. R. Paulsrud. Analyses of renal medullary lipid droplets from normal, hydropnephrotic, and indomethacin treated rabbits, 555
 Coniglio, J. G., W. M. Grogan, Jr., D. G. Harris and M. L. Fitzhugh. Lipid and fatty acid composition of testes of quaking mice, 109
 — See R. Trombly
 — See A. R. Whorton
 Conner, Robert L. See William R. Nes
 Connor, William E. See M. K. Govind Rao
 Cornatzer, W. E. See D. R. Hoffman
 Corner, A. H. See J. K. G. Kramer
 Cowey, C. B. See J. M. Owen
 Crawford, M. A. See A. G. Hassam
 Crouchman, M. L. See R. C. Noble
 Csorba, I. See L. Erdei

D

- D'Alessandro, A., A. Zucconi, F. Bellini, L. Boncinelli and R. Chiostrì. Lecithin: Cholesterol acyltransferase activity in hypercholesterolemic subjects and in hypercholesterolemic subjects treated with clofibrate, 804.
 Das, S. K., M. T. Scott and P. K. Adhikary. Effect of the nature and amount of dietary energy on lipid composition of rat bone marrow, 584
 de Alaniz, M. J. T. See G. Gaspar
 de Gómez Dumm, Irma N. T. and Rodolfo R. Brenner. Oxidative desaturation of α -linolenic, linoleic, and stearic acids by human liver microsomes, 315
 De Tomas, Maria Elena, Osvaldo Mercuri and Raul

- Pelluffo. Short communication re adaptive changes in $\Delta 9$ desaturase activity in rat liver, 360
- Déri-Hadlaczky, Eva. See Tibor Farkas
- Desai, I. D., B. L. Fletcher and A. L. Tappel. Short communication re fluorescent pigments from uterus of vitamin E-deficient rats, 307
- Dhopeswarkar, Govind A. and Carole Subramanian. Metabolism of linolenic acid in developing brain: I. Incorporation of radioactivity from $1\text{-}^{14}\text{C}$ linolenic acid into brain fatty acids, 238
- and Carole Subramanian. Metabolism of $1\text{-}^{14}\text{C}$ linolenic acid in developing brain: II. Incorporation of radioactivity from $1\text{-}^{14}\text{C}$ linolenate into brain lipids, 242, erratum, 652
- Doctor, V. M. See A. C. Joshi
- Dohm, G. L. See E. W. Askew
- Domingo, N. See D. Lairon
- Dreyfus, H., P. F. Urban, S. Edel-Harth, N. M. Neskovic and P. Mandel. Enzymatic synthesis of glucocerebroside by UDP-glucose: Ceramide glucosyltransferase during ontogenesis of chicken retina, 545
- Dudley, Peter A. and Robert E. Anderson. Short communication re separation of polyunsaturated fatty acids by argentation thin layer chromatography, 113
- Duncan, O. W., III. See W. E. Robbins
- Dunn, G. Dewey, Henry G. Wilcox and Murray Heimberg. Effects of dietary triglyceride on the properties and lipid composition of plasma lipoproteins: Acute experiments in rats fed safflower oil, 773
- Dupont, Jacqueline. See Suk Yon Oh
- Dutky, S. R. See W. E. Robbins
- See M. J. Thompson
- Dutta, J. See P. K. Chattopadhyay

E

- Eaton, C. A. See R. G. Ackman
- Eckhardt, Allen E. See R. L. Glass
- Edel-Harth, S. See H. Dreyfus
- Elbein, A. D., W. T. Forsee, John C. Schultz and Roger A. Laine. Biosynthesis and structure of glycosyl diglycerides, steryl glucosides, and acylated steryl glucosides, 427
- Elden, T. C. See J. A. Svoboda
- Engel, R. R. See M. D. Levitt
- Erdel, L., I. Csorba and H. X. Thuyen. Short communication re simple, rapid method for detecting phase transitions of lipids, 115

F

- Falch, John. See Randall Wood
- Farber, S. J. See K. Comai
- Farkas, Tibor, Eva Déri-Hadlaczky and Adonis Beles. Effect of temperature upon linolenic acid level in wheat and rye seedlings, 331
- Fex, Göran and Kerstin Thorzell. Rate of restoration of cardiolipin and other major phospholipids during liver regeneration in rat, 267
- Fisher, M. M. See I. M. Yousef
- Fitzhugh, M. L. See J. G. Coniglio
- Fletcher, B. L. See I. D. Desai
- Flick, George J., Jr., Allen J. St. Angelo and Robert L. Cry. Short communication re KCN inhibition of lipoxygenase in purple, green, and white eggplants, 564
- Forsee, W. T. See A. D. Elbein
- Francescangeli, E. See R. Roberti
- Fujita, T. See T. Nakamura

G

- Gaidhar, N. R. See J. M. Patel
- Galli, C. See R. J. Cenedella
- Ganfield, Mong-Ching W. See Ronald A. Pieringer
- Gardner, H. W. Isolation of a pure isomer of linoleic acid hydroperoxide, 248
- R. Kleiman, D. D. Christianson and D. Wiesleder. Positional specificity of γ -ketol formation from linoleic acid hydroperoxides by a corn germ enzyme, 602
- See D. D. Christianson
- Garton, G. A., J. R. Scaife, A. Smith and R. C. Siddons. Short communication re effect of vitamin B₁₂ status on the occurrence of branched-chain and odd-numbered fatty acids in the liver lipids of the baboon, 855
- Gaspar, G., M. J. T. de Alaniz and R. R. Brenner. Uptake and metabolism of exogenous eicosa-8,11,14-trienoic acid in minimal deviation hepatoma 7288 C cells, 726

- Gellerman, Joanne L., Wayne H. Anderson and Hermann Schlenk. Synthesis and analysis of phytin and phytinoyl wax esters, 656
- See W. H. Anderson
- Gercken, Guenther. See Ulrich Hintze
- Gerson, T., J. J. Patel and L. N. Nixon. Some unusual fatty acids of *Rhizobium*, 134
- Giotas, C. See R. L. Lyman
- Glass, Robert L., Thomas P. Krick and Allen E. Eckhardt. New series of fatty acids in Northern pike, erratum, 500
- Thomas P. Krick, Donald M. Sand, Curtis H. Rahn and Hermann Schlenk. Furanoid fatty acids from fish lipids, 685
- Go, J. See Grace Y. Sun
- Goracci, G. See R. Roberti
- Gordon, Dennis T., Robert E. Pitas and Robert G. Jensen. Effects of diet and type IIa hyperlipoproteinemia upon structure of triacylglycerols and phosphatidyl cholines from human plasma lipoproteins, 270
- Govind Rao, M. K., E. G. Perkins, William E. Connor and Ashim K. Bhattacharyya. Short communication re identification of β -sitosterol, campesterol, and stigmasterol in human serum, 566
- Grogan, W. M., Jr. See J. G. Coniglio
- See R. Trombly
- Guarnieri, Michael. Reaction of anti-phosphatidyl inositol antisera with neural membranes, 294

H

- Haeflner, E. W. and O. S. Privett. Fatty acid synthesis from $2\text{-}^{14}\text{C}$ -acetate in rat testis mitochondrial and cytosol fractions in vitro, 814
- and O. S. Privett. Influence of dietary fatty acids on membrane properties and enzyme activities of liver mitochondria of normal and hypophysectomized rats, 75
- Halloran, J. L. See W. C. Breckenridge
- Hamberg, Mats. Decomposition of unsaturated fatty acid hydroperoxides by hemoglobin: Structures of major products of 13L-hydroperoxy-9,11-octadecadienoic acid, 87
- Hamm, Thomas E. See Richard W. St. Clair
- Hänninen, O. See E. Hietanen
- See M. Laitinen
- Hanson, R. F. See M. D. Levitt
- Harria, D. G. See J. G. Coniglio
- Harris, R. A. and R. A. Yount. Inhibition of hepatic lipogenesis by adenine nucleotides, 673
- See J. P. Mapes
- Hasegawa, K. and T. Suzuki. Examination of acetolysis products of phosphatidylcholine by gas chromatography-mass spectrometry, 867
- Hassan, A. G., A. J. Sinclair and M. A. Crawford. The incorporation of orally fed radioactive γ -linolenic acid and linoleic acid into the liver and brain lipids of suckling rats, 417
- Hauton, J. See D. Lairon
- Hedin, Paul A. See Naresh V. Mody
- Heimberg, Murray. See G. Dewey Dunn
- Henly, Robert S. See Patrick T.-S. Pei
- Hernell, O. See O. Johnson
- Hietanen, E., M. Laitinen, H. Vainio and O. Hänninen. Dietary fats and properties of endoplasmic reticulum: II. Dietary lipid induced changes in activities of drug metabolizing enzymes in liver and duodenum of rat, 467
- See M. Laitinen
- Hill, Eldon G., C. L. Silbernack and Frank T. Lindgren. Development of hyperbetalipoproteinemia in pigs fed atherogenic diet, 41
- Hill, V. A. See W. A. Baumgartner
- Hillman, J. R., B. A. Knights and R. McKail. Sterols of the adult and juvenile forms of ivy, *Hedera helix* L., 542
- Hintze, Ulrich and Guenther Gercken. Synthesis and properties of phosphatidyl carnitine and phosphatidyl β -methylcholine, 20
- Hoffman, D. R., D. N. Skurdal and W. E. Cornatzer. Viral stimulation of choline phosphotransferase in spleen microsomes, 829
- Holman, Ralph T. See Bengt Å. Andersson
- Holmud, C. E. See Z. Bahiack
- See Marcia Anne Wheeler
- Holt, P. R. See S. M. Sabesin
- Holub, B. J. Role of cytidine triphosphate and cytidine diphosphate in promoting inositol entry into microsomal phosphatidylinositol, 483, erratum, 718
- Hsiung, H. M., T. E. Spike and G. J. Schroepfer, Jr. Enzymatic conversion of 5 α -cholesta-8,14-dien-3 β -ol to 5 α -cholesta-8,14-dien-3 β -ol, 623
- See B. N. Lutsky

- Hulan, H. W. See J. K. G. Kramer
Hunter, M. L. See W. W. Christie

I

- Infante, J. P. See J. E. Kinsella
Itoh, T., T. Tamura and T. Matsumoto. 24-Methylene-
dammaranol: A new triterpene alcohol from shea
butter, 908
— T. Tamura and T. Matsumoto. 24-Methylenelanost-
9(11)-en-3 β -ol, new triterpene alcohol from shea
butter, 454
— See T. M. Jeong

J

- Jackson, Larry L. See Gary J. Blomquist
Jacob, Jürgen and Jens Politz. Composition of uropygial
gland secretions of birds of prey, 1
Javalgekar, S. Y. See J. M. Patel
Jenkin, H. M., E. McMeans, L. E. Anderson and T. K.
Yang. Comparison of phospholipid composition of
Aedes aegypti and *Aedes albopictus* cells obtained
from logarithmic and stationary phases of growth,
686
— See E. McMeans
Jenkinson, D. McEwan. See R. C. Noble
Jensen, Robert G. See Dennis T. Gordon
— See R. S. Newton
Jenson, L. C. See F. T. Lindgren
Jeong, T. M., T. Itoh, T. Tamura and T. Matsumoto.
Analysis of methylsterol fractions from twenty veg-
etable oils, 634
Jimenez, C., A. M. Municio and A. Suarez. Methylat-
ing activity of (methyl-¹⁴C)-S-adenosylmethionine
by microsomes of the insect *Ceratitis capitata*, 532
— A. M. Municio and A. Suarez. On methylating ac-
tivity of L-(methyl-¹⁴C)-methionine in metabolism
of phospholipids by insect *Ceratitis capitata*, 82
Johnson, O., O. Hernell and T. Olivecrona. Effect of
ethanol on utilization of plasma free fatty acids
for liver triacylglycerol synthesis and its relation
to hepatic triacylglycerol accumulation in rats, 765
Joseph, Jeanne D. Identification of 3,6,9,12,15-octa-
decapentaenoic acid in laboratory-cultured photosyn-
thetic dinoflagellates, 395
Joshi, A. C. and V. M. Doctor. Distribution of fatty
acids during germination of cottonseeds, 191
Julien, R. See D. Lairon

K

- Kanfer, Julian N. and Christine H. Spielvogel. Phos-
pholipase C catalyzed formation of sphingomyelin-
¹⁴C from lecithin and N-(¹⁴C)-oleoyl-sphingosine,
391
Kannan, R. and N. Baker. Tumor extracellular tri-
glycerides in mice during growth of Ehrlich ascites
carcinoma, 770
Karlsson, K.-A. See M. E. Breimer
Katsul, G. See T. Nakamura
Kinneman, John. See R. G. Ackman
Kinsella, J. E., D. Bruns and J. P. Infante. Fatty acid
synthetase of bovine mammary: Properties and
products, 227
Kircher, H. W. and F. U. Rosenstein. Reaction of er-
gosteryl acetate with maleic anhydride and prepara-
tion of 5,7-ergostadien-3 β -ol, 517
Kleiman, R. See M. B. Bohannon
— See H. W. Gardner
— See R. D. Plattner
Knights, B. A. See J. R. Hillman
Kothari, Himanshu V. and David Kritchevsky. Purifica-
tion and properties of aortic cholesteryl ester hy-
drolase, 322
Kovacs, K. See W. C. Breckenridge
Kramer, J. K. G., H. W. Hulan, S. Mahadevan and
F. D. Sauer. *Brassica campestris* var. Span: I.
Fractionation of rapeseed oil by molecular distilla-
tion and adsorption chromatography, 505
— H. W. Hulan, S. Mahadevan, F. D. Sauer and A. H.
Corner. *Brassica campestris* var. Span: II. Car-
diopathogenicity of fractions isolated from Span
rapeseed oil when fed to male rats, 511
Krich, Thomas P. See Robert L. Glass
Kritchevsky, David. See Himanshu V. Kothari
Kuhl, G. L. See E. W. Askew
Kuiken, L. B. See F. Petty
Kuksis, A. See S. Mookerjee
Kullig, Martin J., Jon I. Teng and Leland L. Smith.
Sterol metabolism: XXXIII. On derivation of cho-
lesterol 7-alkoxyl ethers, 93

L

- LaFont, H. See D. Lairon
Laine, Roger A. See A. D. Elbein
Lairon, D., G. Nalbans, N. Domingo, H. LaFont, J.
Hauton, R. Julien, J. Rathelot, P. Canioni and L.
Sarda. Short communication re in vitro studies
on interaction of rat pancreatic lipase and colipase
with biliary lipids, 262
Laitinen, M., E. Hietanen, H. Vainio and O. Hanninen.
Dietary fats and properties of endoplasmic reticu-
lum: I. Dietary lipid induced changes in com-
position of microsomal membranes in liver and
gastrointestinal mucosa of rat, 461
— See E. Hietanen
Landrey, Josephine R. See William R. Nes
Larson, G. See C. H. Bergh
Lehner, Noel D. M. See Richard W. St. Clair
Levitt, M. D., R. F. Hanson, J. H. Bond and R. R.
Engel. Failure to demonstrate degradation of [4-
¹⁴C] cholesterol to volatile hydrocarbons in rats
and in human fecal homogenates, 662
Ley, H. See S. H. W. Cmelik
Lindgren, F. T., G. L. Adamson, L. C. Jenson and
P. D. Wood. Lipid and lipoprotein measurements
in a normal adult American population, 750
— See Eldon G. Hill
Litchfield, Carter. See R. G. Ackman
— See Yuri Wedmid
Lutsky, B. N., Hansen M. Hsiung and G. J. Schroeffer,
Jr. Inhibition of enzymatic reduction of Δ^{14} -double
bond of 5 α -cholesta-8,14-dien-3 β -ol and 5 α -cholesta-
7,14-dien-3 β -ol by AY-9944, 9
Lyman, R. L., C. Giotas, B. Medwadowski and P. Mil-
janich. Effect of low methionine, choline deficient
diets upon major unsaturated phosphatidyl choline
fractions of rat liver and plasma, 157

M

- Madrigal, R. V., R. D. Plattner and C. R. Smith, Jr.
Carduus nigrescens seed oil—A rich source of pen-
ta-cyclic triterpenoids, 208
— and C. R. Smith, Jr. Short communication re
Taxus baccata seed oil: A new source of *cis*-5,*cis*-
9-octadecadienoic acid, 502
Mahadevan, S. See J. K. G. Kramer
Malins, Donald C. See William L. Reichert
Mallory, Frank B. See William R. Nes
Mandel, P. See H. Dreyfus
Mansbach, Charles M., II. Effect of acute dietary al-
teration upon intestinal lipid synthesis, 318
Mapes, J. P. and R. A. Harris. Regulatory function
of pyruvate dehydrogenase and the mitochondrion
in lipogenesis, 757
Matsumoto, T. See T. Itoh
— See T. M. Jeong
McCaig, Douglas C. See Gary J. Blomquist
McKail, R. See J. R. Hillman
McMeans, E., T. K. Yang, L. E. Anderson and H. M.
Jenkin. Comparison of lipid composition of *Aedes*
aegypti and *Aedes albopictus* cells obtained from
logarithmic and stationary phases of growth, 99,
erratum, 363
— See H. M. Jenkin
Medwadowski, B. See R. L. Lyman
Meng, H. C. See M. C. Wang
Mercuri, Orvaldo. See Maria Elena De Tomas
Middleton, C. See J. M. Owen
Mikolajczak, K. L. See C. R. Smith, Jr.
Miles, D. Howard. See Naresh V. Mody
Miljanich, P. See R. L. Lyman
Minnikin, D. E. Short communication re location of
double bonds in long chain esters by mass spec-
troscopy of methoxyhalogeno derivatives prepared
from methoxymercuracetate adducts, 55
Mody, Naresh V., Paul A. Hedin, William W. Neel
and D. Howard Miles. Short communication re
hydrocarbons from males, females, and larvae of
pecan weevil: *Curculio caryae* (Horn), 117
Mookerjee, S., C. E. Park and A. Kuksis. Lipid pro-
files of plasma lipoproteins of fasted and fed nor-
mal and choline-deficient rats, 374
Moore, J. H. See W. W. Christie
— See R. C. Noble
Morin, Robert J. Effects of administration of hypo-
lipidemic agent, 2,2'-[(1-methyl-4,4-diphenylbutyl-
idene)bis(p-phenyleneoxy)] bistriethylamine oxalate
(SQ 10,591) upon cholesterol esterification by aorta,
adrenal, and testes of cholesterol-fed rabbits, 105
Morton, W. T. See E. M. Stearns, Jr.
Mosbach, E. H. See B. I. Cohen
Municio, A. M. See C. Jimenez

N

- Nagy, Bartholomew. See Eric L. Banduraki
 Nakamura, T., Y. Aoyama, T. Fujita and G. Katsui. Studies on tocopherol derivatives: V. Intestinal absorption of several d,l-3,4-³H₂- α -tocopheryl esters in the rat, 827
 Nalbome, G. See D. Lairon
 Neel, William W. See Naresh V. Mody
 Nervi, Anibal M., Angel Catala, Rodolfo R. Brenner and Raul O. Peluffo. Dietary and hormonal effects upon activity of "soluble" protein and particulate fraction of fatty acid desaturation system of rat liver microsomes, 348
 Nes, William R., Antonio Alcaide, Frank B. Mallory, Josephine R. Landrey and Robert L. Conner. Dealkylation of 24-ethylsterols by *Tetrahymena pyriformis*, 140
 Nenkovic, N. M. See H. Dreyfus
 Nevenzel, J. C. See J. S. Patton
 Newton, R. S., R. E. Pitas and R. G. Jensen. Short communication re effect of diet on fatty acids in the lipoprotein cholesterol esters of type Ila and normal individuals, 858
 Nicolau, G. See B. I. Cohen
 Nixon, L. N. See T. Gerson
 Noble, R. C. Short communication re use of internal vial for determining quench correction in scintillation counting of heterogeneous media, 312
 — M. L. Crouchman, D. McEwan Jenkinson and J. H. Moore. Relationship between lipids in plasma and skin secretions of neonatal calf with particular reference to linoleic acid, 128
 — M. L. Crouchman and J. H. Moore. Synthesis of cholesterol esters in the plasma and liver of sheep, 790
 — See W. W. Christie

O

- Oh, Suk Yon and Jacqueline Dupont. Identification and quantitation of cholanolic acids in hepatic and extra-hepatic tissues of rat, 340
 Ohlson, R., O. Podlaha and B. Töregard. Stereospecific analysis of some Cruciferae species, 732
 Olivecrona, T. See O. Johnson
 Orthlieb, C. See E. Raghupathy
 Ory, Robert L. See George J. Flick, Jr.
 Owen, J. M., J. W. Adron, C. Middleton and C. B. Cowey. Elongation and desaturation of dietary fatty acids in turbot *Scophthalmus maximus* L., and rainbow trout, *Salmo gairdneri* Rich., 528

P

- Pande, Shri V. See Chak-Ki Cheng
 Paoletti, R. See R. J. Cenedella
 Paradis, M. and R. G. Ackman. Occurrence and chemical structure of nonmethylene-interrupted dienolic fatty acids in American oyster *Crassostrea virginica*, 12
 Park, C. E. See S. Mookerjee
 Pascual, J. C. and R. G. Ackman. Occurrence of 7-methyl-7-hexadecenoic acid, the corresponding alcohol, 7-methyl-6-hexadecenoic acid, and 5-methyl-4-hexadecenoic acid in sperm whale oils, 478
 Patel, J. J. See T. Gerson
 Patel, J. M., N. R. Galdhar, S. Y. Javalgekar and S. S. Pawar. Effect of inhibitors and phenobarbital pretreatment upon hepatic lipid peroxidation during protein and riboflavin dietary stress in male rats, 220
 Pattee, Harold E. See Timothy H. Sanders
 Patton, John S. Short communication re high levels of pancreatic nonspecific lipase in rattlesnake and leopard shark, 562
 — J. C. Nevenzel and A. A. Benson. Specificity of digestive lipases in hydrolysis of wax esters and triglycerides studied in anchovy and other selected fish, 578
 Paulsrud, J. R. See K. Comai
 Pawar, S. S. See J. M. Patel
 Pel, Patrick T.-S., Robert S. Henly and S. Ramachandran. New application of high pressure reversed-phase liquid chromatography in lipids, 152
 Peluffo, Raul. See Maria Elena De Tomas
 — See Anibal M. Nervi
 Perkins, E. G. See M. K. Govind Rao
 — See R. D. Taubold
 Petty, F., J. B. Ragland, L. B. Kuiken, S. M. Sabesin and J. D. Wander. Quantitative, multicomponent analysis of fatty acids from cholesterol esters by

chemical ionization reconstructed mass chromatography, 800

- Phillipou, G., D. A. Bigham and R. F. Seamark. Short communication re subnanogram detection of *t*-butyldimethylsilyl fatty acid esters by mass fragmentography, 714
 Pieringer, Ronald A. and Mong-Ching W. Ganfield. Phosphatidylkojibiosyl diglyceride: Metabolism and function as an anchor in bacterial cell membranes, 421
 Pitas, Robert E. See Dennis T. Gordon
 — See R. S. Newton
 Plattner, R. D., G. F. Spencer and R. Kleiman. *cis*-5-Polyenoic acids in *Larix leptolepis* seed oil, 413
 — See R. V. Madrigal
 Podlaha, O. See R. Ohlson
 Poltz, Jens. See Jürgen Jacob
 Porcellati, G. See R. Roberti
 Privett, O. S. See E. W. Haeflner
 — See W. C. Tan

R

- Raghupathy, E., C. Orthlieb and S. Abraham. Lipogenesis by intact hepatocytes from normal and diabetic rats, 663
 Ragland, J. B. See F. Petty
 Rahn, Curtis H. See Robert L. Glass
 Raicht, R. F. See B. I. Cohen
 Ramachandran, S. See Patrick T.-S. Pei
 Rao, G. Ananda and S. Abraham. Short communication re dietary alteration of fatty composition of lipid classes in mouse mammary adenocarcinoma, 641
 — and S. Abraham. Stearoyl-CoA desaturase activity in mammary adenocarcinomas carried by C57 mice, 835
 — and S. Abraham. Stimulatory effect of glucose upon triglyceride synthesis from acetate, decanoate, and palmitate by mammary gland slices from lactating mice, 409
 Rathelot, J. See D. Lairon
 Reichert, William L. and Donald C. Malins. Electron spin resonance study of serum lipoproteins of salmon (*Oncorhynchus kisutch*): Structural alterations produced in high density lipoproteins by mercury and cadmium, 253
 Rhamsy, R. K. See R. Trombly
 Robbins, W. E., M. J. Thompson, J. A. Svoboda, T. J. Shortino, C. F. Cohen, S. R. Dutky and O. J. Duncan, III. Nonsteroidal secondary and tertiary amines: Inhibitors of insect development and metamorphosis and Δ^3 -sterol reductase system of tobacco hornworm, 353
 — See J. A. Svoboda
 — See M. J. Thompson
 Roberti, R., L. Binaglia, E. Francescangeli, G. Goracci and G. Porcellati. Enzymic synthesis of 1-alkyl-2-acyl-sn-glycero-3-phosphorylethanolamine through ethanolaminephosphotransferase activity in the neuronal and glial cells of rabbit in vitro, 121
 Rosenstein, F. U. See H. W. Kircher
 Roubal, W. T. See A. R. Taylor
 Roughan, P. G. Phosphatidyl choline: Donor of 18-carbon unsaturated fatty acids for glycerolipid biosynthesis, 609

S

- Sabesin, S. M., P. R. Holt and S. B. Clark. Intestinal lipid absorption: Evidence for an intrinsic defect of chylomicron secretion by normal rat distal intestine, 840
 — See F. Petty
 Saha, S. See A. Sengupta
 Samuelsson, B. E. See C.-H. Bergh
 — See M. E. Breimer
 Sand, Donald M. See Robert L. Glass
 Sanders, Timothy H. and Harold E. Pattee. Peanut alkaline lipase, 50
 — H. E. Pattee and J. A. Singleton. Lipoxigenase isozymes of peanut, 681
 — H. E. Pattee and J. A. Singleton. Short communication re aerobic pentane production by soybean lipoxigenase isozymes, 568
 Sarda, L. See D. Lairon
 Sauer, F. D. See J. K. G. Kramer
 Scalfie, J. R. See G. A. Garton
 Schlenk, Hermann. See W. H. Anderson
 — See Joanne L. Gellerman
 — See Robert L. Glass
 Schroepfer, G. J., Jr. See H. M. Hsiung
 — See B. N. Lutaky

- Schultz, John C. See A. D. Elbein
 Scott, M. T. See S. K. Das
 Seamark, R. F. See G. Phillipou
 Sengupta, A., S. P. Basu and S. Saha. Triglyceride composition of *Sapindus mukorossi* seed oil, 33
 Serban, N. N. See M. J. Thompson
 Sheng, S. L. See Grace Y. Sun
 Shortino, T. J. See W. E. Robbins
 — See M. J. Thompson
 Siakotos, A. N. See R. D. Taubold
 Siddons, R. C. See G. A. Garton
 Silbernack, C. L. See Eldon G. Hill
 Silver, M. D. See W. C. Breckenridge
 Sinclair, A. J. Incorporation of radioactive polyunsaturated fatty acids into liver and brain of developing rat, 175
 — See A. G. Hassam
 Singleton, J. A. See T. H. Sanders
 Sinnhuber, R. O. See T. C. Yu
 Skurdal, D. N. See D. R. Hoffman
 Smith, A. See G. A. Garton
 Smith, C. R., Jr. and K. L. Mikolajczak. Letter to the editor re concerning lipid composition of *Sapindus mukorossi* seed oil, 363
 — See R. V. Madrigal
 Smith, Leland L. See Martin J. Kulig
 Smith, R. W. and A. Walsh. Short communication re composition of liver lipids of the rat during pregnancy and lactation, 643
 Sodja, Ann and P. K. Stumpf. Fat metabolism in higher plants: Metabolism of medium chain fatty acids, 818
 Spencer, G. F. See R. D. Plattner
 Spielvogel, Christine H. See Julian N. Kanfer
 Spilke, T. E. See H. M. Hsiung
 Srivastava, K. C. Short communication re synthesis of prostaglandins in platelets of hypercholesterolemic rabbits, 57
 St. Angelo, Allen J. See George J. Flick, Jr.
 St. Clair, Richard W., Noel D. M. Lehner and Thomas E. Hamm. Evaluation of chronic oxide, glycerol triether, and β -sitosterol as fecal flow markers in two species of nonhuman primates, 25
 Stan, Hans-Jürgen. See Gunter Streckert
 Stearns, E. M., Jr. and W. T. Morton. Biosynthesis of fatty acids from acetate in soybean suspension cultures, 597
 Streckert, Gunter and Hans-Jürgen Stan. Conversion of linoleic acid hydroperoxide by soybean lipoxigenase in the presence of guaicol: Identification of the reaction products, 847
 Stumpf, P. K. See Ann Sodja
 Suarez, A. See C. Jimenez
 Subramanian, Carole. See Govind A. Dhopeshwarkar
 Sun, Grace Y., H. Winniczek, J. Go and S. L. Sheng. Essential fatty acid deficiency: Metabolism of 20:3(n-9) and 22:3(n-9) of major phosphoglycerides in subcellular fractions of developing and mature mouse brain, 365
 Suzuki, T. See K. Hasegawa
 Svoboda, J. A., M. J. Thompson, W. E. Robbins and T. C. Elden. Unique pathways of sterol metabolism in the Mexican bean beetle, a plant-feeding insect, 524
 — See W. E. Robbins
 — See M. J. Thompson

T

- Takatori, T. See W. C. Tan
 Takeuchi, N. See K. Uchida
 Tamura, T. See T. Itoh
 — See T. M. Jeong
 Tan, W. C., C. Chapman, T. Takatori and O. S. Privett. Studies of lipid class and fatty acid profiles of rat mammary tumors induced by 7,12-dimethylbenz(a)anthracene, 70
 Tappel, A. L. See I. D. Desai
 — See Richard Trombly
 Taubold, R. D., A. N. Siakotos and E. G. Perkins. Studies on chemical nature of lipofuscin (age pigment) isolated from normal human brain, 383
 Taylor, A. R., W. T. Roubal and U. Varanasi. Effects of structural variation in β -monoglycerides and other lipids on ordering in synthetic membranes, 535
 Teng, Jon I. See Martin J. Kulig
 Thompson, M. J., N. N. Serban, W. E. Robbins, J. A. Svoboda, T. J. Shortino, S. R. Dutky and C. F. Cohen. Inhibitive effects of structurally modified azasteroids and related nitrogen containing steroids on insect growth and development, 615
 — See W. E. Robbins
 — See J. A. Svoboda

- Thorzell, Kerstin. See Göran Fex
 Thuyen, H. X. See L. Erdei
 Türegard, B. See R. Ohlson
 Trombly, Richard and Al Tappel. Fractionation and analysis of fluorescent products of lipid peroxidation, 441
 — A. L. Tappel, J. G. Coniglio, W. M. Grogan, Jr. and R. K. Rhamy. Fluorescent products and polyunsaturated fatty acids of human testes, 591

U

- Uchida, K., N. Takeuchi and Y. Yamamura. Effect of glucose administration on cholesterol and bile acid metabolism in rats, 473
 Urban, P. F. See H. Dreyfus

V

- Vainio, H. See E. Hietanen
 — See M. Laitinen
 Varanasi, U. See A. R. Taylor
 Vernon, Richard G. Effect of dietary safflower oil upon lipogenesis in neonatal lamb, 284
 — See W. W. Christie

W

- Walsh, A. See R. W. Smith
 Wander, J. D. See F. Petty
 Wang, M. C. and H. C. Meng. Uptake and metabolism of α -monopalmitin by rat lung in vitro, 721
 Wassel, Momtaz K., Vernon Ammon and T. D. Wyllie. Polar lipids of *Macrophomina phaseolina*, 185
 Wedmid, Yuri and Carter Litchfield. Positional analysis of isovaleroyl triglycerides using proton magnetic resonance with Eu(fod)₃ and Pr(fod)₃ shift reagents: I. Model compounds, 145
 Weisleder, D. See H. W. Gardner
 Wheeler, Marcia Anne and Chester E. Holmlund. Short communication re identification of wax esters in *Tetrahymena pyriformis*, 260
 Whorton, A. R. and J. G. Coniglio. Studies in vitro of lipogenesis in rat testicular tissue, 783
 Wiegand, Rex D. and Randall Wood. Lipids of cultured hepatoma cells: VI. Glycerolipid and monoenoic fatty acid biosynthesis in minimal deviation hepatoma 7288C, 194
 — and Randall Wood. Lipids of cultured hepatoma cells: VII. Structural analyses of glycerolipids in minimal deviation hepatoma 7288C, 548
 — See Randall Wood
 Wilcox, Henry G. See G. Dewey Dunn
 Winniczek, H. See Grace Y. Sun
 Wood, P. D. See F. T. Lindgren
 Wood, Randall. Hepatoma, host liver, and normal rat liver phospholipids as affected by diet, 736
 — Stereospecific analysis of hepatoma, host liver, and normal rat liver triglycerides from animals on chow and fat free diets, 404
 — John Falch and Rex D. Wiegand. Hepatoma, host liver, and normal rat liver neutral lipids as affected by diet, 202
 — and Rex D. Wiegand. Hepatoma, host liver, and normal rat liver lipids: Distribution of isomeric monoene fatty acids in individual lipid classes, 746
 — See Rex D. Wiegand
 Wright, E. T. See W. A. Baumgartner
 Wyllie, T. D. See Momtaz K. Wassel

Y

- Yamamura, Y. See K. Uchida
 Yang, T. K. See H. M. Jenkin
 — See E. McMeans
 Yount, R. A. See R. A. Harris
 Yousef, I. M. and M. M. Fisher. Short communication re bile acid metabolism in mammals: IX. Conversion of chenodeoxycholic acid to cholic acid by isolated perfuse rat liver, 571
 Yu, T. C. and R. O. Sinnhuber. Effect of dietary linolenic and linoleic acids upon growth and lipid metabolism of rainbow trout (*Salmo gairdneri*), 63

Z

- Zucconi, A. See A. D'Alessandro

A

- A-1-9944.** See *trans*-1,4-bis-[2-Chlorobenzylaminomethyl] cyclohexane dihydrochloride
- Absorption, fat,** proximal versus distal intestine in rat, 840
- α -tocopheryl esters in the rat, hydrolysis, 627
- Accipiter gentilis.** See Birds, of prey
- Accipiter nisus.** See Birds, of prey
- Acetaldehyde,** assay with thiobarbituric acid in the presence of sucrose, 309
- formation of TBA chromogen with sucrose, 309
- Acetate,** incorporation into triglycerides, mouse mammary gland, 469
- Acetate- ^{14}C ,** incorporation into fatty acids in soybean suspension cultures, 597
- Acetylcholine,** phosphatidyl choline for stereospecific anal, 687
- Acetyl CoA carboxylase,** activity in rat testis, 783
- Acyl migration,** during acetylcholine or phospholipase C treatment of PC, 667
- Acyl-CoA:1-acyl-sn-glycerol-3-phosphorylcholine acyltransferase.** See Lysophosphatidylcholine acyltransferase
- Acyl-CoA:cholesterol acyltransferase,** cholesteryl ester synthesis in ovine liver, 790
- Acyl-CoA:1,2-diglyceride-9-acyltransferase.** See Diglyceride acyltransferase
- Acyl-CoA-sn-glycerol-3-phosphate acyltransferase,** specificity, hepatoma, 404
- Acylation,** steryl glucosides, cotton fibers, 427
- Adenine nucleotides,** pool size in liver slice cells, 673
- Adenocarcinoma,** lipids in mouse mammary, 641
- stearyl-CoA desaturase activity, 835
- Adenosine triphosphatase,** rat liver mitochondria, dietary fat, hypophysectomy, 75
- Adenosylmethionine,** phospholipid synthesis in insect *C. capitata*, 532
- Adipocytes,** in ovine perirenal fat, 284
- rat, cell size, cell number, physical training, exhaustion, 491
- Adipose, baboon,** odd and branched chain fatty acids, B_{12} status, 855
- ovine, adipocytes in neonatal perirenal fat, 284
- ovine, effect of safflower oil, 284
- rat, cholanolic acids, identification and quantitation, 340
- rat, fatty acid comp, acute effect of diet, 773
- rat, lipogenesis, fatty acid synthetase, physical training, exhaustion, 491
- Adrenals,** ovine, cholesterol esters, 649
- porcine, fatty acid profile, subcellular fractions, CE, FFA, TG, PC, PE, DPG, 707
- rabbit, cholesterol esterification, inhibition, SQ 10, 591, 105
- Aedes aegypti (L.),** effect of azasteroids on development, 615
- See Larva, mosquito, yellow fever
- See Mosquito
- Aedes albopictus.** See Mosquito
- Age pigment.** See Lipofuscin
- Alcohols,** characterization, CrO_3 oxidation, GLC-MS, 1
- secondary, synthesis in grasshopper cuticular lipids, 303
- wax esters, *Tetrahymena pyriformis*, 260
- Aldehydes,** in salt gland lipids of marine birds, 299
- Alditol acetate,** permethylation, GLC, 427
- Alkanes,** beef heart lipids, pasture plant lipids, GC-MS, isolation and characterization, 67
- column chromatography, 67
- Alkenylacyl-glycerophosphorylethanolamine,** EFA-deficient mouse brain, half-life, 365
- 1-Alkyl-2-acyl-sn-glycerol-3-phosphorylethanolamine.** See Phosphatidyl ethanolamine
- Alkylacylglycerol,** in synthesis of phosphatidyl ethanolamine, 121
- Amines,** juvenile hormone analogs, biological activity, 353
- Amino acids,** fatty acid synthetase, 227
- lipofuscin, human brain, 383
- AMP, cycle,** excess, effect on lipogenesis, 673
- α -Amyrin,** isolation from shea butter, 808
- β -Amyrin,** in vegetable oils, 634
- Anchovy,** fat digestion in, 575
- Antisera,** to phosphatidyl inositol, 294
- Aorta, human,** gangliosides in atherosclerosis, 256
- human, sterol alkoxyethers, artifacts, isolation, characterization, 93
- rabbit, cholesterol esterification, inhibition, SQ 10, 591, 105
- rabbit, cholesteryl ester hydrolase, purification and properties, 322
- rat, cholesteryl ester hydrolase, purification and

- properties, 322
- swine, cholesterol, cholesteryl ester content, 41
- Arachidonic acid,** dietary, incorporation by rat into liver and brain, 175
- synthesis from 20:3 ω 6 in cell culture, 726
- Artifact,** in thiobarbituric acid procedure, 309
- Aryl hydrocarbon hydroxylase,** rat liver, dietary fats, 467
- Atherosclerosis,** gangliosides in human aorta, 256
- LCAT activity in clofibrate treated patients, 804
- ATP/ADP ratio,** in lipogenesis, regulation, 757
- Autolysis,** free fatty acid production in brain, 290
- Avocado mesocarp,** cell-free system for 18:3 synthesis, 818
- Azasteroids,** inhibition of insect growth and development, 615
- inhibitors of Δ^3 -sterol reductase, 353
- physical properties, IR, NMR, mass spectra, 615
- prep, 615

B

- Baboon, adipose,** odd and branched chain fatty acids, B_{12} status, 855
- liver, odd and branched chain fatty acids, B_{12} status, 855
- Bacteria,** branched fatty acids, 134
- cell membrane, diglycosyldiglyceride, 421
- human intestine, cholesterol degradation, 662
- rat intestine, cholesterol degradation, 662
- Bacteriophage M13,** infected *E. coli*, phospholipid, fatty acid profile, 497
- Bases,** phospholipid, paper chromatography, 87
- Beef heart, lipids,** alkanes, characterization, 62
- saponification, 67
- Beetle, confused flour,** effect of azasteroids on development, 615
- Mexican bean, sterol metabolism, 524
- Bile, ovine,** diet and fatty acids of phosphatidyl choline, 645
- phospholipid-free, in marine fish, 575
- Bile acid, excretion,** glucose administration to fasted rats, 473
- GLC, 473
- 12 α -hydroxylation in rat liver, 571
- phenobarbital, effect on, in rat, 168
- Bile acid metabolism,** glucose administration to fasted rats, 473
- in rat, 168, 571
- Birds, of prey,** uropygial gland lipids, chemotaxonomy, 1
- Blood, human,** lipid and lipoprotein patterns, comparative methodology, 750
- Blubber, dolphin,** triglycerides, fatty acids, 44
- Bone marrow, rat,** lipid comp, 584
- Bovine kidney,** intestinal mucosa, sphingomyelin molecular species, 17
- Brain, human,** lipofuscin, isolation, characterization, 383
- mouse, phosphatides, fatty acid metabolism, EFA deficiency, 365
- mouse, recovery from EFA deficiency, 365
- rabbit, phosphatidyl ethanolamine synthesis, 121
- Brain, rat,** cholanolic acids, identification and quantitation, 340
- free fatty acid anal, 290
- incorporation γ -linolenic acid, linoleic acid, 417
- linolenic acid metabolism, 238, 242
- polyunsaturated fatty acids, 175
- Branched fatty acids,** mass spectra of pyrrolidides, 716
- wax esters, *Tetrahymena pyriformis*, 260
- Brassica campestris.** See Rapeseed oil
- Brassicasterol,** conc in rapeseed oil fractions, 505
- Buteo buteo.** See Birds, of prey
- Butter, shea,** triterpene alcohols, isolation, structure, 454
- Butyrospermol,** isolation from shea butter, 808
- Buzzard.** See Birds, of prey

C

- Cacao butter, dietary,** drug metabolism, rat liver duodenum, 467
- rat liver microsomes, cholesterol, protein, protein-lipid binding, 461
- Cadmium,** effect on lipoproteins in salmon, 253
- Calf, neonatal,** lipids of skin secretions, 128
- plasma lipids, 128
- Callus cultures.** See Cell cultures, soybean
- Campesterol,** conc in rapeseed oil fractions, 505
- in human serum, 566
- Cancer, liver,** triglyceride, fatty acid distribution, dietary fat, 404
- Canula, cecal,** in rat cholesterol degradation, 662

- Cardiac lesions, rat, and dietary rapeseed oil fractions, 511
- Cardiolipin, in regenerating rat liver, 267
- Carduus nigrescens* Vill. See Thistle
- Carnitine, condensation with phosphatidic acid, 20
- Carnitine palmitoyltransferase, effect of erucyl-CoA, 335
- in rat heart, 335
- CDP-choline:1,2-diglyceride cholinephosphotransferase. See Cholinephosphotransferase
- Cell culture, hepatoma 7288C, 194
- See Cholinephosphotransferase
- Cell culture, hepatoma 7288C, 194
- minimal deviation hepatoma, 7288C, 726
- mosquito larvae, growth, lipid comp, fatty acid profile, 99
- soybean, fatty acid synthesis, 597
- Centrifugation, marker enzymes for microsomes, mitochondria, cytosol, 783
- mitochondria, marker enzymes, electron microscopy, 814
- Ceramide, from bovine sphingomyelins, column chromatography, 17
- from bovine sphingomyelins, TLC, arsenite impregnated, 17
- glycosyltransferase activity in chicken retina, 545
- phosphoryl choline transfer, from lecithin, phospholipase C, 391
- trimethylsilyl, mass spectroscopy, 17
- Ceramide phosphorylcholine. See Sphingomyelin
- Ceratitis capitata, phospholipid synthesis in, 532
- Cerebroside, gluco-, synthesis in chicken retina, 545
- Ceroid, fluorescence assay in uterus, 307
- See Lipofuscin
- Chelation, effect on fluorescence of products from human testes, 591
- Chemotaxonomy, birds of prey, uropygial gland lipids, 1
- Chenodeoxycholic acid, conversion to cholic acid in rat liver, 571
- excretion, glucose administration, fasted rats, 473
- mass spectra, 340
- Chick embryo, phosphatidyl carnitine, 20
- Chicken, synthesis of glucocerebroside in retina, 545
- trans-1,4-bis-[2-Chlorobenzylaminomethyl] cyclohexane dihydrochloride, inhibition, reduction of unsaturated sterols, 9
- Cholanolic acids, in rat tissues, identification and quantitation, 340
- TLC, GLC and mass spectra, 340
- 5 α -Cholesta-7,14-dien-3 β -ol, enzymatic conversion to 8,14-isomer, 623
- enzymatic reduction, rat liver, inhibition, 9
- 5 α -Cholesta-8,14-dien-3 β -ol, enzymatic formation from 7,14-isomer, 623
- enzymatic reduction, rat liver, inhibition, 9
- Cholesterol, balance studies, fecal flow marker, 25
- blood, human, normal population values, 750
- degradation by colonic flora, 662
- dietary, drug metabolism, rat liver, duodenum, 467
- dietary, rat liver microsomes, cholesterol, protein, protein-lipid binding, 461
- effect on spin labeling of synthetic membranes, 535
- esterification, inhibition, rabbit tissues, SQ 10,591, 105
- excretion, glucose administration to fasted rats, 473
- human aorta, 256
- 7 α -hydroxylation, glucose administration, fasted rats, 473
- LCAT activity in clofibrate treated patients, 804
- linolenic acid incorporation, rat brain, 242
- metabolism of precursors, 623
- and ordering in synthetic membranes, 535
- phase transitions, temp, refractive index, 115
- rat gastric mucosa, duodenal mucosa, dietary fat, 461
- in rat liver microsomes, dietary fat, 461
- swine serum, aorta, 41
- synthesis, hepatic, glucose administration to fasted rats, 473
- Cholesterol, 4-¹⁴C, recovery studies in the rat, 662
- Cholesterol 7-alkoxyethers, chemical synthesis, characterization, 93
- epimers, artifacts, human aorta, 93
- Cholesterol esterification, rabbit tissues, assay, 105
- Cholesterol esters, comp in ovine adrenals, 649
- fatty acid profile, porcine adrenal, microsomes, mitochondria, cytosol, 707
- Cholesteryl ester hydrolase, activity with esters of other sterols, 322
- effect of fatty acid on esterification, 322
- effect of fatty acid on hydrolysis, 322
- purification and properties from rat or rabbit aorta, 322
- Cholesteryl esters, fatty acid anal by GC using chemi-ionization MS for detection, 800
- fatty acids, effect of diet on type IIa hypercholesterolemia, 858
- isomeric monoenoic acids in hepatoma, 746
- LCAT activity in clofibrate treated patients, 804
- ovine plasma and liver, synthesis, fatty acid specificity, 790
- rat plasma lipoproteins, fatty acid profiles, 374
- swine serum, aorta, 41
- testis, quaking mouse, fatty acid profile, 109
- Cholestatrienol, formation from 24-ethylsterols, 140
- Cholic acid, excretion, glucose administration, fasted rats, 473
- formation from chenodeoxycholic acid in rat liver, 571
- Choline deficiency, rat plasma lipoproteins, lipid and fatty acid profiles, 374
- lipid molecular species, 374
- Choline phosphotransferase, assay, 829
- intestinal, gold Syrian hamster, 318
- spleen microsomes, virus infected mice, 829
- Choline-methionine deficiency, phosphatidyl choline fatty acids, 157
- rat liver, phosphatidyl choline metabolism, 157
- rat plasma, phosphatidyl choline metabolism, 157
- Chromatography, column, azasteroids, related N-containing steroids, 615
- beef heart lipids, alkanes, 67
- ceramides from bovine sphingomyelins, 17
- CoA esters, 818
- 5,7-ergostadienyl acetate, 517
- fluorescent products in human testes, 591
- human lipoprotein lipids, 270
- juvenile hormone analogs, 353
- α - and γ -ketols, 602
- linoleic acid hydroperoxide substitution products, 448
- linoleic acid hydroperoxides, 248
- lipid classes, 554, 643
- lipid classes including glycolipids, 609
- lipid classes, mosquito, 686
- lipid classes, rat testis, 814
- lipid peroxidation products, 441
- lipids, *Tetrahymena pyriformis*, 437
- neutral lipids of *Cruciferae* species, 732
- oxygenated fatty acids, 703
- phytol, phytanal and phytanic acid, 656
- rat mammary tumor lipids, 70
- Span rapeseed oil triglycerides, 505
- sterols and sterol esters, 524
- triglycerides, acetylenic, from moss, 501
- Chromatography, column, argentation, cholesterol precursors, 623
- 7,9(11)-ergostadien-3 β -ol and 8,14-ergostadien-3 β -yl acetate, 517
- plant and insect sterols and acetates, 524
- unsaturated sterols, 9
- Chromatography, column, DEAE cellulose, cholesteryl ester hydrolase, 322
- glycolipids, 427
- Chromatography, column, ion exchange, cyclic AMP on AG 1-X8 formate, 673
- peanut lipoygenase isozymes, 681
- Chromatography, column, sephadex, glucosyl transferase, acyltransferase, 427
- Chromatography, gas-liquid, acetyldiglycerides from PC and PE, 548
- acetylenic fatty acids, from moss, 501
- alcohols of wax esters, 200
- aldehydes, aldehyde esters, 12
- azasteroids, related N-containing sterols, 615
- beef heart lipids, alkanes, 67
- bile acids, 473
- branched fatty acids, 134
- ¹⁴C-bile acids, 571
- ¹⁴C-labeled cholesterol intermediates, 623
- ¹⁴C-labeled fatty acids, 528, 609, 783, 814, 818
- of ¹⁴C-labeled sterols, 140
- capillary column, dinoflagellate fatty acids, 395
- cerebral free fatty acids, 290
- chemi-ionization mass spectrometer detector, 800
- cholanolic acids, 340
- cholesterol, 790
- cuticular lipid secondary alcohols, 303
- cyclopropane fatty acids, *E. coli*, 497
- decomposition products, fatty acid hydroperoxides, 87
- detector for subnanogram range, 714
- dicarboxylic acids, 818
- dinoflagellate fatty acids, 395
- ergosteryl acetate and derivatives, 517
- ethanol, 765
- fatty acid 1-butyltrimethylsilyl esters, 714
- fatty acids, 555, 641, 643, 645, 649, 835
- fatty acids of cholesteryl esters, 858
- fatty acids of *Cruciferae*, 732
- fatty acids of fungi, 185
- fatty acids of germinating cottonseed, 191
- fatty acids of rat phosphatidyl cholines, 157

- fatty acids of rat tissue lipids, 175
- fatty acids from testicular lipids, 814
- fatty acids of wax esters, 260
- furanoid fatty acids from fish, 695
- human lipoprotein lipid fatty acids, 270
- hydrogenated cyclopropene fatty acids, *E. coli*, 497
- juvenile hormone analogs, 353
- α - and γ -ketols from linoleate-9- or 13-hydroperoxide, 602
- mass fragmentography detector, 714
- medium chain fatty acids, 818
- methane, 662
- methylsterols, 634
- monoacyldiglycerides from acetolysis of PC, 667
- monoacyldiglycerides from PC and PE, 736
- monomethyl and dimethyl plant sterols, 634
- 5,9-octadecadienoic acid ester, 502
- open tubular, iso and anteiso fatty acids, 855
- open tubular, preparative, dienolic fatty acids, 12
- ovine perirenal free fatty acids, 284
- pentane, 568
- phytanic acid, 656
- plant and insect sterols, 524
- plant sterols, 542
- plant sterols, trimethylsilyl ethers, 566
- preparative, C_{17} fatty acids, 703
- preparative, α -hydroxy acids, 703
- preparative, monoenoic acids, 746
- rat mammary tumor fatty acids, 70
- rye and wheat seedling fatty acids, 331
- secondary oxidation products of soybean lipoxygenase in the presence of guaiacol, 847
- sterol derivatives, 93
- sterols, 322
- sterols, *Tetrahymena pyriformis*, 437
- TMS-glycolipids, permethylated alditol acetates, 427
- triglycerides, fatty acid esters, Japanese larch seed oil, 413
- triglycerides and wax esters, 575
- triterpene alcohol acetates, 808
- triterpene alcohols, acetate, shea butter, 454
- triterpenoids in thistle seed oil, 208
- wax esters, 656
- wax esters, triglycerides, 44
- whale oil fatty acid esters, alcohol acetates, 478
- Chromatography, gas-liquid-mass spectroscopy, fatty acids, branched chain, 1**
- of triterpenoids, 208
- Chromatography, gel filtration, molecular weight dtmn, 681**
- peanut lipoxygenase isozymes, 681
- Chromatography, gel permeation, lipofuscin, human brain, 383**
- molecular weight dtmn, lipofuscin, 383
- peanut alkaline lipase, molecular weight, 50
- Chromatography, high pressure reversed-phase liquid, of fatty acids, esters, and triglycerides, 152**
- Chromatography, paper, cyclic AMP, 673**
- phospholipid bases, 82, 532
- Chromatography, thin-layer, arsenite impregnated, ceramide fractionation, 17**
- azasteroids, related N-containing steroids, 615
- brain phospholipids, 294
- brain total lipids, 290
- cardiolipin from rat liver, 287
- cholanolic acids, 340
- cyanolipids, 383
- decomposition products, fatty acid hydroperoxides, 87
- 1,2-, 1,3-diglycerides, 404, 840
- 2-dimensional, polar lipids, 584
- dinoflagellate lipids, 395
- ergosterol acetate and derivatives, 517
- fatty acid *t*-butyldimethylsilyl esters, 714
- fatty acid methyl esters, 284
- fecal sterols, monkey, 25
- fluorescent pigments in human testis, 591
- free fatty acids, 1,2- and 1,3-diglycerides, 721
- furanoid fatty acids from fish, 695
- glycolipids, 427
- hepatocyte lipids, 653
- human lipoprotein lipids, 270
- hydroxystearates, 248
- juvenile hormone analogs, 353
- α - and γ -ketols, 602
- labeled glycolipids, 545
- linoleic acid hydroperoxide, 847
- linoleic acid hydroperoxide substitution products, 448
- lipid classes, 318, 555, 641, 649, 721, 726, 765, 773, 790, 800
- lipid classes, pig adrenal, 707
- lipid classes, rat testis, 814
- lipid peroxidation products, 441
- lipids of fungi, 185
- lipids, akin secretions of neonatal calf, 128
- lipids *Tetrahymena pyriformis*, 437
- lipids in thistle seed oil, 208
- lipofuscin, human brain, 383
- monomethyl and dimethyl plant sterols, 634
- neutral lipids, 804
- ovine perirenal lipids, 284
- phosphatides of fungi, 185
- phosphatidyl choline, 609
- phospholipid classes, mosquito, 686
- phytanic acid, 656
- plant sterols, 542
- purification of 1- 14 C-dioleoylphosphatidyl choline, 290
- rat bone marrow lipids, 584
- rat liver lipids, 157
- rat liver phospholipids, 267
- rat mammary tumor lipids, 70
- rat tissue lipids, 175
- *Sapindus mukorossi* seed oil, 363
- scintillation counting of scrapings, 312
- secondary products of soybean lipoxygenase with guaiacol, 847
- Span rapeseed oil triglycerides, 505
- sterol derivatives, 93
- *threo*, *erythro* dihydroxy alcohols, 87
- α -tocopherol esters, 627
- triglycerides, acetylenic, from moss, 501
- triglycerides and wax esters, 575
- triterpene alcohols, 808
- Chromatography, thin-layer, argentation, cholesteryl esters, 322**
- dienolic fatty acids, 12
- diglycerideacetates from phosphatidyl choline, 645
- dodecenoic acids, 818
- ergosterol derivatives, 517
- fatty acids, 597
- methyl esters, Japanese larch seed oil, 413
- monoacyldiglycerides from acetolysis of PC, 667
- 5,9-octadecadienoic acid ester, 502
- oxygenated fatty acids, 703
- phosphatidyl choline, 829
- phosphatidyl inositol molecular species, 483
- polyunsaturated fatty acids, 113
- rat liver phosphatidyl choline, 157
- sterols, 140
- triterpene alcohol acetates, 808
- triterpene alcohol acetates, shea butter, 454
- whale oil fatty acid esters, alcohol acetates, 478
- Chromatography, thin-layer, borate, glycolipids, 545**
- hydroxy fatty acids, 703
- Chromic oxide, fecal flow marker, sterol balance studies, 25**
- oxidation, 24-methylenelanost-9(11)-en-3-ol, acetate, 454
- Chylomicrons, fat absorption in the rat, 840**
- Citrate-cleavage enzyme, activity in rat testis, 783**
- Citrostadienol, in vegetable oil, 634**
- Clofibrate, effect on LCAT activity in hypercholesterolemic subjects, 804**
- Colipase, pancreatic, interaction with biliary lipids, 262**
- Corn germ, hydroperoxide isomerase, 602**
- linoleic acid hydroperoxide isomerase, substitution reactions, 448
- Cotton fiber, steryl glucoside acylation, 427**
- Cottonseed, germinating, fatty acids, 191**
- germinating, lipid, 191
- Cotyledons, cottonseed, fatty acids, 191**
- cottonseed, lipid 191
- Counting, scintillation, quench correction with internal vial, 312**
- Cow, mammary gland, fatty acid synthetase, properties, 227**
- Crassostrea virginica. See Oyster, American**
- Cucurbitacins, stereospecific anal. of triglycerides, 732**
- Cucurbitacins. See Pumpkin leaves**
- Curculio caryae (Horn). See Pecan weevil**
- Cuticular lipids, grasshopper, synthesis of secondary alcohols, 303**
- Cyanide, inhibition of lipoxygenase, 564**
- Cyanolipids, Sapindus mukorossi seed oil, 363**
- Cyclic AMP, excess, effect on lipogenesis, 673**
- Cycloartenol, in vegetable oils, 634**
- Cytidine diphosphate-choline, phosphatidyl inositol biosynthesis, 483**
- Cytidine-5'-diphosphate ethanolamine, in synthesis of phosphatidyl ethanolamine, 121**
- Cytidine triphosphate, phosphatidyl inositol biosynthesis, 483**
- Cytochrome C, liver lipid peroxidation, 220**
- Cytochrome oxidase, rat liver mitochondria, dietary fat, hypophysectomy, 75**
- Cytosol, rat testis, fatty acid synthesis, 814**

D

- Dammaradienol**, isolation from shea butter, TLC, GLC, NMR, mass spectra, 808
- Dealkylation**, of 24-ethylsterols by *Tetrahymena pyriformis*, 140
- Decanoate**, incorporation into triglycerides, mouse mammary gland, 409
- Densitometry**, micro, agarose gel electrophoresis, automation, 750
- micro, agarose gel electrophoresis of plasma lipoproteins, 750
- Deoxycholate**, liver lipid peroxidation, 220
- Desaturase**, Δ^5 , in minimal deviation hepatoma 7288C, 728
- Δ^5 , fatty acid, adaptive changes in rat liver, 360
- plant 18:3, insensitivity to CN- and avidin, 818
- plant pathway to 18:3 not including 18:2 ω 6, 818
- stearyl-CoA in adenocarcinoma, 835
- Desaturase, fatty acid**, activity in a marine fish, 528
- assay in human liver, 315
- effect of anaesthesia, 315
- effect of fasting, 315
- Δ^5 , cleave to linoleate in PC, 609
- in seedlings, effect of temp, 331
- Development**, insects, phospholipid metabolism, 82
- Diacylglycerophosphoryl ethanolamine**, EFA-deficient mouse brain, half-life, 365
- Dichloroacetate**, stimulation of pyruvic dehydrogenase, 757
- Diet**, atherogenic, swine, serum lipids, lipoproteins, 41
- effect on enzymes of lipid synthesis, 318
- effect on Δ^5 fatty acid desaturase activity, 360
- effect on fatty acid profile in rat liver phospholipids, 736
- effect on fatty acids of cholesterol esters in type IIa hypercholesterolemia, 858
- effect on rat bone marrow lipids, 584
- fat free, effect on rat hepatoma lipids, 202
- lipids of mouse mammary adenocarcinoma, 641
- Dietary fat**, effect on cholesteryl esters of ovine adrenals, 646
- fatty acids of phosphatidyl choline of ovine bile, 645
- Diglyceride acyltransferase**, intestinal, gold Syrian hamster, 318
- Diglycerides**, diglycosyl, metabolism, function, bacterial cell membrane, 421
- monoacetyl, TLC, GLC, mass spectra, 667
- Diglycerides**, 1,2-, 1,3-, fractionation, TLC, 404
- 3 β -(β -Dimethylaminoethoxy)-androst-5-en-17-one**, steroid synthesis inhibition, 437
- 7,12-Dimethylbenz(a)anthracene**, rat mammary tumor induction, 70
- Dinoflagellates**, photosynthetic, culture of, 395
- fatty acid profile, 395
- lipid extraction, fraction, TLC, 395
- octadecapentaenoic acid, characterization, 395
- Diphosphatidyl glycerol**, fatty acid profile, porcine adrenal, microsomes, mitochondria, cytosol, 707
- in regenerating rat liver, 267
- Diplopterol**, synthesis, *Tetrahymena pyriformis*, inhibition, 437
- Distillation**, molecular, Span rapeseed oil triglycerides, 505
- Docosa-13,16-dienoic acid**, porcine adrenal SPM and PI, 707
- Docosaheptaenoic acid**, dietary, incorporation by rat, 175
- 2-Dodecenoic acid**, in 18:3 synthesis by higher plants, 818
- 3-Dodecenoic acid**, in 18:3 synthesis by higher plants, 818
- Dogfish**, spiny, rectal gland lipids, 299
- Dolphin**, freshwater, melon, jaw, blubber, wax esters, triglycerides, 44
- Double bonds**, location, fatty acid esters, 55
- Drug metabolism**, hydroxylation, glucuronidation, rat liver, duodenum, dietary fats, 467

E

- E.C. 1.2.4.1**. See Pyruvate dehydrogenase
- E.C. 1.4.1.2**. See Glutamic dehydrogenase
- E.C. 1.9.3.1**. See Cytochrome C oxidase
- E.C. 1.13.1.13**. See Lipoygenase
- E.C. 2.3.1.20**. See Lysophosphatidylcholine acyltransferase
- E.C. 2.3.1.23**. See Carnitine palmitoyltransferase
- E.C. 2.7.8.1**. See Ethanolaminephosphotransferase
- E.C. 2.7.8.2**. See CDP-choline:1,2-diglyceride choline phosphotransferase
- See Cholinephosphotransferase
- E.C. 3.6.1.3**. See Adenosine triphosphatase
- E. coli**, bacteriophage infection, phospholipid, fatty acid profile, 497

- ECL**, acetylenic fatty acids, EGS, DEGS columns, 501
- 5,9-octadecadienoic acid ester, fatty acid esters, *Taraxacum officinale* seed oil, 502
- Egg yolk**, phosphatidyl choline, stereospecific anal, 667
- Eggplant**, lipoygenase activity in cultivars, 564
- Ehrlich ascites carcinoma**, in mice, extracellular triglycerides, 770
- Eicosa-12,14-dienoate**, 12,15-epoxy-13,14-dimethyl, from fish lipids, 695
- 11,14-Eicosadien-8-ynoic acid**, from moss triglyceride, 501
- 6,9,12-Eicosatrienoic acid**, conversion to 20:4 ω 6 in cell culture, 726
- desaturation by minimal deviation hepatoma 7288C, 728
- pool size in cultured tumor cells, 726
- Eicosenoic acid**, in *Sapindus mukorossi* seed oil, 33
- Eider duck**, salt gland lipids, 299
- Electron microscopy**, fat absorption in the rat, 840
- Electrophoresis**, agarose gel, correlation with analytical ultracentrifuge data, 750
- human plasma lipoproteins, 270
- swine serum lipoproteins, 41
- Electrophoresis**, sodium dodecyl sulfate gel, peanut alkaline lipase, 50
- Embryo**, chick, phosphatidyl carnitine, 20
- Endoplasmic reticulum**, rat, drug metabolism, dietary fats, 467
- cholesterol, protein, dietary fat, 461
- Enzymes**, inactivation, by focused microwave irradiation, 290
- lipolytic, in fish, 575
- microsomal, assay system, 168
- microsomal, rat, effect of phenobarbital, 168
- Epoxy acids**, mass spectra, 87
- UV spectra, 87
- Epoxy fatty acids**, furanoid, in fish, isolation, characterization, 695
- Equivalent chain length**. See ECL
- 5,7-Ergostadien-3 β -ol**, prep and purification, 517
- Ergosteryl acetate**, reaction with maleic anhydride, 517
- Eruic acid**, activation in rat heart, 335
- conc in rapeseed oil fractions, 505
- effect on rat heart, 511
- stereospecific anal of Cruciferae triglycerides, 732
- Eruyl-carnitine**, formation in rat heart, 335
- Eruyl-CoA**, affinity for carnitine palmitoyltransferase, 335
- Essential fatty acids**, deficiency, mouse brain fatty acid metabolism, 365
- deficiency, mouse brain, recovery, 365
- deficiency, rat liver mitochondria, permeability, enzyme activity, 75
- dietary requirement, rainbow trout, 63
- distribution in hepatoma triglycerides, dietary fat, 404
- fatty acid profile, trout lipids, 63
- hepatoma, rat, 202
- Esterase**, nonspecific, assay in rat and rabbit aorta, 322
- Esterification**, cholesterol, microsomal, mitochondrial, rabbit tissues, assay, 105
- rabbit tissues, assay, 105
- Ethanol**, acute intoxication, fatty acid oxidation in liver, 765
- plasma free fatty acids and liver triglycerides in intoxication, 765
- Ethanolamine glycerophosphatides**, mouse brain, 20:3 ω 9, 22:3 ω 9 half-life, 365
- fatty acids, EFA deficiency, 365
- 7-Ethoxychol:st-5-en-3 β -ol**, chemical synthesis, characterization, 93
- [24R]-24-Ethylcholest-5-en-3 β -ol**. See Sitosterol
- Exercise**, training, weight gain, adipocyte size, number, lipogenesis, 491
- Exhaustion**, in physically trained rats, lipogenesis, 491

F

- Falco columbarius**. See Birds, of prey
- Falco tinnunculus**. See Birds, of prey
- Falconiformes**. See Birds, of prey
- Fat**, absorption, proximal versus distal intestine in the rat, 840
- digestion, in fish, 575
- Fat**, dietary, drug metabolism, rat liver, duodenum, 467
- fatty acid distribution, triglycerides, liver, hepatoma, 404
- rat liver microsomes, cholesterol, protein, protein-lipid binding, 461
- rat liver mitochondria, permeability, enzyme activity, lipid comp, 75
- Fatty acid desaturase**, assay in human liver, 315

- $\Delta 6$, cyanide sensitive factor, 348
- effect of anaesthesia, 315
- $\Delta 9$, effect of diet on activity, 360
- $\Delta 6$, effect of diet, glucagon, theophylline, 348
- effect of fasting, 315
- in seedlings, effect of temp, 331
- $\Delta 6$, soluble protein factor, 348
- Fatty acid desaturase system**, $\Delta 6$, rat liver microsomes, fractionation, 348
- Fatty acid desaturation**, in cell-free systems from higher plants, 818
- Fatty acid distribution**, *Sapindus mukorossi* seed triglycerides, 33
- triglycerides, liver, hepatoma, 404
- Fatty acid elongation**, in cell-free systems from higher plants, 818
- Fatty acid esters**, methoxyhalogeno, prep, mass spectroscopy, 55
- methoxymercuriacetate adducts, demercuration, 55
- unsaturated, structural dtm, 55
- Fatty acid metabolism**, during acute ethanol intoxication, 765
- in cultured hepatoma cells, 194
- in leaves, 609
- mouse brain, EFA deficiency, 365
- in rat brain, 238
- in turbot and rainbow trout, 528
- Fatty acid profile**, avian uropygial gland lipids, 1
- bacteriophage infected *E. coli*, 497
- cholesterol esters, type IIa hypercholesterolemia, effect of diet, 858
- cholesterol esters of ovine adrenals, 649
- cultured hepatoma cells, 548
- eider duck salt gland PC and PE, 299
- fungi, *M. phaseolina*, 185
- herring gull salt gland PC and PE, 299
- human plasma cholesteryl esters, 800
- human testicular lipids, 591
- Japanese larch seed oil, 413
- lipids, mosquito cells in culture, 99
- lipofuscin, human brain, 383
- mosquito cells in culture, LPC, SPM, PC, PS, PI, PE, 686
- mouse brain phosphatides, EFA deficiency, 365
- mouse liver and mammary tumors, effect of diet, 835
- mouse mammary adenocarcinoma lipids, PC, PE and TG, 641
- neonatal calf, triglycerides of skin secretions, 128
- normal rat liver, individual phospholipids, 736
- ovine bile phosphatidyl choline, 645
- photosynthetic dinoflagellates, lipids, 395
- plasma of neonatal calf, 128
- porcine adrenal, liposomes, 707
- porcine adrenal, microsomes, mitochondria, cytosol, CE, FFA, TG, PC, PE, DPG, 707
- rabbit tissue CE, PL, TG, 555
- rapeseed oil fractions, 505
- rat bone marrow polar and non-polar lipids, 594
- rat liver, in pregnancy and lactation, 643
- rat liver hepatoma, individual phospholipids, 736
- rat liver mitochondria, dietary fat, hypophysectomy, 75
- rat liver tumor host, individual phospholipids, 736
- rat mammary tumor lipids, 70
- rat plasma lipoprotein, PC, TG and CE, 374
- rye seedlings, effect of temp, 331
- *Sapindus mukorossi* seed oil, 33
- soybean seeds and callus cells in culture, 597
- 9 species of Cruciferae, 732
- spiny dogfish rectal gland PC and PE, 299
- *Taxus baccata* seed oil, 502
- testis lipids, quaking mouse, 109
- trout lipids, effect of dietary fat, 63
- vegetable oils, 511
- wax esters, triglycerides, freshwater dolphin lipids, 44
- wax esters of moss and grass, 656
- wheat seedlings, effect of temp, 331
- Fatty acid synthesis**, effect of cyclic AMP and dibutyryl-cyclic AMP, 673
- mouse mammary gland, 409
- in rat testis, cytosol, mitochondria, 814
- by soybean callus cells in culture, 597
- in soybean cell culture, 597
- Fatty acid synthetase**, activity in rat testis, 783
- in leaf tissue, 609
- rat liver adipose tissue, assay physical exercise, exhaustion, 491
- bovine, amino acids, properties, purification, 227
- Fatty acids**, acetylenic, from moss, mass spectra, UV, IR, GLC, ozonolysis, 501
- acetylenic, from moss, structure identification, 501
- conjugated, ovine adrenal cholesteryl esters, 649
- conjugated, in ovine bile phosphatidyl choline, 645
- cyclopropene, *E. coli*, hydrogenation, 497
- dienolic, nonmethylene-interrupted, GLC, TLC, MS, NMR, IR, 12
- dienolic, nonmethylene-interrupted, in American oyster, 12
- dienolic, nonmethylene-interrupted, ozonolysis, reductive, oxidative, 12
- dietary, incorporation by rat into liver and brain, 175
- dihydroxy, soybean lipoxygenase plus guaiacol, characterization, 847
- dimethyl, furanoid, in fish, isolation, characterization, 695
- epoxy, furanoid fatty acids in fish, isolation, characterization, 695
- essential, hepatoma, rat, 202
- essential, requirement of marine and freshwater fish, 528
- furanoid, oxidative degradation, characterization, 695
- furanoid, spectra, NMR, UV, IR, Raman, mass, 695
- germinating cottonseeds, 191
- hepatoma, rat, 202
- hepatoma cells, cultured, 194
- human testes, and fluorescent products, 591
- α -hydroxy, in bovine tissue sphingomyelins, 17
- α -hydroxy, isolation and characterization from *Salvia nilotica*, 703
- isomeric monoenoic, in lipid classes of hepatoma, 746
- mass spectra, 215
- monoenoic, in cultured hepatoma cells, 194
- monomethyl, baboon liver and adipose, B₁₂ status, 855
- monomethyl, furanoid, in fish, isolation, characterization, 695
- monomethyl, mass spectra of pyrrolidides, 716
- non-random distribution in Cruciferae triglycerides, 732
- odd chain length, baboon liver and adipose, B₁₂ status, 855
- odd chain length, isolation and characterization from *S. nilotica*, 703
- odd chain length, mouse tumor lipids, 641
- oxygenated, furanoid, in fish, isolation, characterization, 695
- oxygenated, isolation and characterization from *S. nilotica*, 703
- oxygenated, soybean lipoxygenase plus guaiacol, characterization, 847
- in phosphatidyl choline of methionine-choline deficient rats, 157
- rat liver, 202
- saturated, metabolism in cultured hepatoma cells, 194
- saturated, methyl esters, separation by HPLC, 152
- saturated, separation by HPLC, 152
- stereospecific distribution in cultured hepatoma cells, 548
- *trans*, ovine adrenal cholesteryl esters, 649
- *trans*, in ovine bile phosphatidyl choline, 645
- trihydroxy, soybean lipoxygenase plus guaiacol, characterization, 847
- unsaturated, metabolism in fish, 528
- unsaturated hydroperoxides, decomposition products, hemoglobin induced, 87
- wax esters, *Tetrahymena pyriformis*, 260
- Fatty acids**, branched, baboon liver and adipose, B₁₂ status, 855
- bacteria, 134
- characterization, GLC-MS, 1
- furanoid, in fish, isolation, characterization, 695
- identification, 134
- mass spectra, 134
- mass spectra of pyrrolidides, 716
- *Rhizobium*, 134
- wax esters of mosses and grasses, 656
- wax esters, *Tetrahymena pyriformis*, 260
- waxes, avian uropygial gland lipids, 1
- whale oil, 478
- Fatty acids**, free, colorimetric anal, 290
- fatty acid profile, porcine adrenal, microsomes, mitochondria, cytosol, 707
- in ovine perirenal fat, 284
- plasma, utilization by liver during acute ethanol intoxication, 765
- postmortem formation in rat brain, 290
- Fatty acids**, polyenoic, Japanese larch seed oil, structure, comp, 413
- Fatty acids**, polyenoic, methoxy esters, GLC-MS, 413
- methyl esters, ozonolysis, argentation-IC, 413
- UV, IR, NMR, 413
- Fatty acids**, polyunsaturated, argentation thin-layer chromatography, 113
- double bond location, 215
- mass spectra, 215

- metabolism in rat, 175
 - rat brain, 175
 - rat liver, 175
 - separation by HPLC, 162
 - Fatty alcohol profile**, wax esters, freshwater dolphin lipids, 44
 - wax esters of moss and grass, 656
 - Fatty alcohols, branched**, wax esters of mosses and grasses, 656
 - waxes, avian uropygial gland lipids, 1
 - whale oil, 478
 - Fecal flow marker**, sterol balance studies, chromic oxide, β -sitosterol, glycerol triether, 25
 - Feces, human**, cholesterol degradation, 662
 - monkey, lipid extraction, TLC sterols, 25
 - rat, cholesterol degradation, 662
 - Fish, fat digestion**, 575
 - furanoid fatty acids in pike, 695
 - marine and freshwater, essential fatty acid requirement, 528
 - pancreas, nonspecific lipase, 562
 - specificity of lipolytic enzymes, 575
 - triglyceride hydrolysis, 575
 - wax ester hydrolysis, 575
 - Flowers, ivy**, sterol glycoside, 542
 - Fluorescence**, lipid soluble pigments from human testes, 591
 - Fluorescent pigment**, assay in rat uterus, 307
 - Fontinalis antipyretica**. See Moss
 - Friend virus**, effect on enzymes of PC synthesis in mouse spleen, 829
 - Fungi, fatty acids**, GLC, fatty acid profile, 185
 - lipids, polar, TLC, 185
 - Furanoid fatty acids**, in fish, isolation and characterization, 695
- G**
- Gadoleic acid**, non-random distribution in Cruciferae triglycerides, 732
 - Gangliosides**, aortic, separation, 256
 - human aorta, atherosclerotic, 256
 - synthesis in chicken retina, 545
 - Gel filtration**, cholesteryl ester hydrolase, 322
 - pancreatic lipase and colipase, 262
 - Germination**, effect of temp on desaturase activity, 331
 - Glial cells, rabbit**, phosphatidyl ethanolamine synthesis, 121
 - Glucocerebroside**, synthesis in chicken retina, 545
 - Glucose**, administration to fasted rats, cholesterol, bile acid metabolism, 473
 - fatty acid synthesis in vitro, rat adipose tissue, liver, 491
 - incorporation into triglycerides, mouse mammary gland, 409
 - stimulation of triglyceride synthesis, mouse mammary gland, 409
 - Glucose-6-phosphate dehydrogenase**, activity in rat testis, 783
 - Glucosyl transferase**, chromatography, sephadex, assay, 427
 - UDP-glucose-glycolipids, mung bean, 427
 - UDP-glucose-glycolipids, *Mycobacterium smegmatis*, 427
 - Glucuronidation**, drug, rat liver, duodenum, dietary fats, 467
 - Glutamic dehydrogenase**, rat liver mitochondria, dietary fat, hypophysectomy, 75
 - Glycerolipids**, structure, in cultured hepatoma cells, 548
 - synthesis in pumpkin leaves, 609
 - α -**Glycerol monopalmitin**, metabolism in rat lung in vitro, 721
 - Glycerolipids**, chromatography, DEAE, TLC, 427
 - fungi, TLC, 185
 - rat mammary tumor, fatty acid profile, 70
 - trimethylsilyl ether, GLC-MS, 427
 - Glycosides**, methyl, GLC-MS, 427
 - sterol, in adult and juvenile forms of ivy, 542
 - Glycosyl diglyceride**, metabolism, function, bacterial cell membrane, 421
 - structure, biosynthesis, 427
 - Goshawk**. See Birds, of prey
 - Gossypium sp.**. See Cottonseed
 - Gramisterol**, in vegetable oils, 634
 - Grass**, effect of frost on wax ester comp, 656
 - phytol and phytanoyl wax esters, 656
 - Grasshopper**, synthesis of secondary alcohols, 303
 - Growth phases**, mosquito cells, lipid comp, fatty acid profile, 99
 - Gualacol**, effect on secondary oxidation products of soybean lipoygenase, 847

H

- Hamster intestine**, choline phosphotransferase, effect of diet, 318
- diglyceride acyltransferase, effect of diet, 318
- lysophosphatidylcholine acyltransferase, effect of diet, 318
- Heart**, beef, lipids, alkanes, characterization, 67
- beef, lipids, saponification, 67
- rat, effect of feeding rapeseed oil fractions, 511
- rat, erucic acid metabolism, 335
- Hedera helix L.** See Ivy
- Hemoglobin**, decomposition of fatty acid hydroperoxides, 87
- Hepatocytes**, intact, lipogenesis, effect of diabetes, 653
- Hepatoma**, essential fatty acids, rat, 202
- lipids, effect of fat free diet, 202
- lipids, rat, 202
- minimal deviation, 728°C, cell culture, metabolism of 20:3 ω 6, 726
- triglyceride fatty acid distribution, dietary fat, 404
- Hepatoma cells, cultured**, fatty acid biosynthesis, 194
- fatty acids, monoenic, 194
- glycerolipid structure, 548
- lipids, 194
- media comp, effect on lipid comp, 194
- vaccenic acid, 194
- Hepatoma 7288CTC**, fatty acid profile of individual phospholipids, 736
- monoenic acids in individual lipid classes, 746
- Heptadecanoic acid**, in mouse tumor lipids, 641
- Heptadecatrienoic acid**, isolation and characterization from *S. nilotica*, 703
- Herring gull**, salt gland lipids, 299
- Hexadec-trans-2-enic**, 3,7,11,15-tetramethyl-, moss wax esters, 656
- trans- Δ^8 -Hexadecenoic acid**, labeling from 14 C-acetate in leaves, 609
- 1-Hexadecyl-2,3-didodecyl glycerol ether**, absorption, non-human primates, 25
- fecal flow marker, sterol balance studies, 25
- Histopathology**, rat heart after ingestion of rapeseed oil fractions, 511
- Hormone, juvenile**, effect of structural analogs, 353
- Hornworm, tobacco**, effect of azasteroids on development, 815
- Human**, aorta, cholesterol, 256
- aorta, gangliosides in atherosclerosis, 256
- blood lipid and lipoprotein patterns, comparative methodology, 750
- brain, lipofuscin, isolation, characterization, 383
- intestine, cholesterol degradation, 662
- liver, microsomal fatty acid desaturase, 315
- plasma, LCAT activity in clofibrate treated patients, 804
- serum, plant sterols, 566
- testes, lipid soluble fluorescent pigments, 591
- Hydrocarbons**, beef heart lipids, pasture plant lipids, GC-MS, isolation and characterization, 67
- column chromatography, 67
- comp of pecan weevil, 117
- Hydrogenation**, of *E. coli* cyclopropene fatty acids, 497
- furanoid fatty acids from fish, 695
- Hydrolysis**, enzymatic, phosphatidyl carnitine, phosphatidyl β -methylcholine, 20
- Hydroperoxide**, linoleic acid, isomerase catalyzed substitutions, 448
- isomerization, monounsaturated ketols, 448
- substituted, column chromatography, TLC, 448
- substituted, NMR, IR, MS, 448
- Hydroperoxide isomerase**, from corn germ, prep, 602
- Hydroperoxides**, decomposition products, structure, TLC, GLC, MS, UV, 87
- formation by lipoygenase, 248
- γ -ketol formation, 602
- linoleic acid, prep of pure isomers, 248
- unsaturated fatty acid decomposition products, hemoglobin induced, 87
- 9-Hydroperoxy-10,12-octadecadienoic acid**, prep, 248
- 13-Hydroperoxy-9,11-octadecadienoic acid**, prep, 248
- 13L-Hydroperoxy-9,11-octadecadienoic acid**, decomposition products, 87
- Hydroxy fatty acids**, IR, NMR, mass spectra, ozonolysis, 703
- isolation and characterization from *S. nilotica*, 703
- secondary oxidation products, soybean lipoygenase plus guaiacol, 847
- 9DL-Hydroxy-12,13-epoxy-10-octadecenoic acid**, UV, mass spectra, 87
- 13L-Hydroxy-9,11-octadecadienoic acid**, UV, mass spectra, 87
- erythro-11-Hydroxy-12,13-epoxy-9-octadecenoic acid**, UV, mass spectra, 87
- three-11-Hydroxy-12,13-epoxy-9-octadecenoic acid**, UV, mass spectra, 87

- Hydroxylation**, drug, rat liver, duodenum, dietary fats, 467
 — of n-alkanes in grasshoppers, 303
 — ^{14}O uptake in secondary alcohol synthesis, 303
7 α -Hydroxylation, cholesterol, glucose administration, fasted rats, 473
Hygrohypnum luridum. See Moss
Hypercholesterolemia, LCAT activity in clofibrate treated patients, 804
 — and prostaglandin synthesis, 57
Hyperlipoproteinemia, LCAT in clofibrate treated subjects, 804
 — type IIa, effect of diet on cholesteryl ester fatty acids, 858
 — type IIa, stereospecific anal of triglycerides and phosphatidyl cholines, 270
Hypertriglyceridemia, in mice with Ehrlich ascites carcinoma, 770
 — tumor extracellular fluid, nutritional state, 770
Hypocholesteremic agents, inhibition of sterol biosynthesis, 437
Hypophysectomy, rat, liver mitochondria, permeability, enzyme activity, lipid comp, 75

I

- Indomethacin**, renal medullary lipid droplets in treated rabbits, 555
Inhibition, of lipoxygenase by cyanide, 564
Inositol, incorporation, phosphatidyl inositol, rat liver microsomes, 483
Insects, *Ceratitis capitata*, development, phospholipid metabolism, 82
 — hydrocarbons from pecan weevil larvae, 117
 — inhibition of growth and development by azasteroids, 615
 — larvae, effect of juvenile hormone analogs, 353
 — phytophagous, sterol metabolism, 524
Intestine, crypts, enzymes of lipid synthesis, 318
 — distal, enzymes of lipid synthesis, 318
 — hamster, cholinephosphotransferase, effect of diet, 318
 — hamster, diglyceride acyltransferase, effect of diet, 318
 — hamster, lysophosphatidylcholine acyltransferase, effect of diet, 318
 — human, cholesterol degradation, 662
 — mucosa, bovine, sphingomyelin molecular species, 17
 — proximal, enzymes of lipid synthesis, 318
 — rat, cholesterol degradation, 662
 — rat, hydrolysis and absorption of α -tocopheryl esters, 627
 — rat, proximal versus distal fat absorption, 840
 — villous tips, enzymes of lipid synthesis, 318
Irradiation, focused microwave, prevention of postmortem enzymatic changes, 290
Isomerase, linoleic acid hydroperoxide, corn germ, isolation, purification, 448
 — substitution reactions, 448
Isovaleric acid, dolphin lipids, echolocation, 44
Isovaleryl triglycerides, positional anal, 145
 — synthesis, 145
Ivy, sterols in adult and juvenile, 542

J

- Jaw**, dolphin, wax esters, triglycerides, fatty acids, fatty alcohols, 44
Juvenile hormone, biological activity of structural analogs, 353

K

- Kestrel**. See Birds, of prey
13-Keto-9,11-octadecadienoic acid, UV, mass spectra, 87
Keto acids, mass spectra, 87
 — UV spectra, 87
Ketols, monounsaturated, from linoleic acid hydroperoxide, 448
 — substituted, from linoleic acid hydroperoxide, 448
 γ -Ketols, characterization, IR, GLC, NMR, MS, 602
 — formation from linoleic acid hydroperoxides, 602
 α - and γ -Ketols, purification, 602
Kidney, bovine, sphingomyelin molecular species, 17
 — rat, cholanolic acids, identification and quantitation, 340

L

- Lactation**, effect on rat liver lipids, 643
Laparotomy, effect on rat hepatic lipids, 267

- Larch**, Japanese, seed oil, triglycerides, fatty acid profile, 413
Larix leptolepis. See Japanese larch
Larvae, beetle, confused flour, effect of juvenile hormone analogs, 353
 — *C. capitata*, phosphatidyl dimethylethanolamine synthesis, 532
 — house fly, effect of juvenile hormone analogs, 353
 — hydrocarbons from pecan weevil, 117
 — Mexican bean beetle, sterol uptake, 524
 — mosquito, yellow fever, effect of juvenile hormone analogs, 353
 — tobacco hornworm, effect of juvenile hormone analogs, 353
Lathosterol, metabolism in a phytophagous insect, 524
Lauric acid, 3-hydroxy, in 18:3 biosynthesis by higher plants, 818
LCAT. See Lecithin:cholesterol acyltransferase
Lecithin, phosphoryl choline transfer, oleoyl sphingosine, phospholipase C, 391
Lecithin:cholesterol acyltransferase, assay in plasma, 804
 — in clofibrate treated subjects, 804
 — fatty acid specificity in ovine plasma, 790
Linoleic acid, hydroperoxide isomers, 248
 — α -hydroxy, isolation and characterization from *S. nilotica*, 703
 — incorporation, liver, brain lipid, suckling rat, 417
 — plasma and skin secretions, neonatal calf, 128
 — protected, incorporation into ovine adrenal CE, 649
 — protected, incorporation into ovine bile PC, 645
Linoleic acid, dietary, fatty acid profile, trout lipids, 63
 — growth, mortality, rainbow trout, 63
 — incorporation by rat, 175
 — linolenic acid requirement, rainbow trout, 63
Linoleic acid hydroperoxide, isolation and purification, 847
 — isomerase catalyzed substitutions, 448
 — isomerization, monounsaturated ketols, 448
 — γ -ketol formation, 602
 — substituted, column chromatography, TLC, 448
 — substituted, NMR, IR, MS, 448
Linolenic acid, α -hydroxy, isolation and characterization from *S. nilotica*, 703
 — metabolism in developing rat brain, 238, 242
 — plant pathway via 12:3, 14:3 and 16:3, 818
 — synthesis by cell-free systems from higher plants, 818
 — synthesis via pathway not including 18:2 ω 6, 818
Linolenic acid, dietary, essential fatty acid requirement, rainbow trout, 63
 — fatty acid profile, trout lipids, 63
 — growth, mortality, rainbow trout, 63
 γ -Linolenic acid, incorporation, liver, brain lipid, suckling rat, 417
Lipase, assay in rat and rabbit aorta, 322
 — nonspecific, in fish intestinal juice, 575
 — nonspecific, in rattlesnake and shark, 562
 — pancreatic, interaction with biliary lipids, 262
 — pancreatic, triglyceride structure dtmn, 33
Lipase, alkaline, peanut, activity and seed maturity, 50
 — gel chromatography, electrophoresis, 50
 — isolation, properties, 50
 — pH optimum, inhibition, molecular weight, 50
Lipid analysis, gravimetric, total lipid, 284
Lipid biosynthesis. See Lipogenesis
Lipid class profile, porcine adrenal subcellular fractions, 707
Lipid composition, mosquito cells in culture, 99
 — rat liver mitochondria, dietary fat, hypophysectomy, 75
 — testis, quaking mouse, 109
Lipid extraction, methylene chloride, 814
 — ovine perirenal lipids, 284
 — ovine plasma lipids, 284
Lipid metabolism, rainbow trout, effect of dietary fat, 63
Lipid profile, rat plasma lipoprotein lipids, choline deficiency, 374
 — uropygial gland, birds of prey, chemotaxonomy, 1
Lipids, bile, interaction with lipase and colipase, 262
 — fungi, chromatography of glycolipids and phospholipids, 185
 — hepatoma, rat, 202
 — hepatoma cells, cultured, 194
 — human testicular, 591
 — peroxidation of rat liver, 220
 — phase transitions, temp, refractive index, 115
 — plasma, neonatal calf, 128
 — rabbit renal medullary, 555
 — rapeseed oil, fractionation, 505
 — of rat bone marrow, 584
 — rat brain, fractionation, 242
 — rat brain, linolenic acid incorporation, 242
 — rat heart, effect of feeding rapeseed oil fractions, 511
 — rat liver, 202
 — rat liver, during pregnancy and lactation, 643
 — skin secretions, neonatal calf, 128
 — in synthetic membranes, 535

- Lipofuscin**, fluorescence assay in rat uterus, 307
- Lipofuscin**, human brain, amino acid dtmn, 383
- fatty acid profile, 383
 - gel permeation chromatography, TLC, 383
 - isolation, purification, characterization, 383
 - molecular weight dtmn, 383
 - UV-visible, IR, NMR, fluorescence spectra, 383
- Lipogenesis**, ^{14}C incorporation in ovine adipose tissue, 284
- cholesterol biosynthesis in rat liver, 623
 - effect of dibutyl cyclic AMP in liver slice cells, 673
 - effect of excess cyclic AMP in liver slice cells, 673
 - effect of safflower oil in neonatal lamb, 284
 - intact hepatocytes, effect of diabetes, 653
 - plant leaves, 609
 - rat adipocyte, assay, 491
 - rat liver, adipose tissue, physical exercise, exhaustion, 491
 - rat liver, starved, chow-fed, diabetic, high fat diet, 757
 - in rat testicular tissue in vitro, 783
 - reconstituted cell-free liver system, 757
 - regulation, pyruvic dehydrogenase, 757
 - regulatory role of the mitochondrion, 757
 - soybean callus cells in culture, 597
- Lipoproteinemia**, hyper, ovine, atherogenic diets, 41
- Lipoproteins**, effect of cadmium in salmon, 253
- effect of mercury in salmon, 253
 - electron spin resonance, 253
 - floating β and sinking pre- β , 750
 - swine serum, ultracentrifugation, agarose gel electrophoresis, 41
- Lipoproteins**, HDL, cholesterol ester fatty acids, type IIa hypercholesterolemia, diet, 858
- effect of diet on fatty acids of TG, PL and CE, 773
 - fatty acids of cholesterol esters in ovine and bovine plasma, 790
 - human plasma, population values, methodology, 750
 - lipid classes, 773
 - stereospecific anal of TG and PC, 270
- Lipoproteins**, LDL, cholesterol ester fatty acids, type IIa hypercholesterolemia, diet, 858
- effect of diet on fatty acids of TG, PL and CE, 773
 - fatty acids of cholesterol esters in ovine and bovine plasma, 790
 - human plasma, population values, methodology, 750
 - lipid classes, 773
 - stereospecific anal of TG and PC, 270
- Lipoproteins**, plasma, choline-deficient rat, lipid profiles, 374
- rat, lipid fatty acid profiles, 374
 - rat, lipid molecular species, 374
 - rat, ultracentrifugation, 374
- Lipoproteins**, VLDL, cholesterol ester fatty acids, type IIa hypercholesterolemia, diet, 858
- effect of diet on fatty acids of TG, PL and CE, 773
 - fatty acids of cholesterol esters in ovine and bovine plasma, 790
 - human plasma, population values, methodology, 750
 - lipid classes, 773
 - stereospecific anal of TG and PC, 270
 - transfer of lipids to Ehrlich ascites carcinoma, 770
- Lipoteichoic acid**, bacterial phosphatidylglycerol triglyceride, binding, 421
- Lipoxidase**, peanut. See Lipoxigenase, peanut
- Lipoxygenase**, in eggplant cultivars, 564
- formation of hydroperoxides, 248
 - inhibition by cyanide, 564
 - peanut, isolation and purification of isozymes, 681
 - peanut, pH optimum of isozymes, stability during purification, 681
 - peanut, response to NaCN and CaCl_2 , 681
 - soybean, aerobic pentane production, 568
 - soybean, dienone formation, 568
 - soybean L-1, secondary oxidation products in presence of guaiacol, 847
- Lithocholic acid**, mass spectra, 340
- Liver**, baboon, odd and branched chain fatty acids, Ru status, 865
- fatty, in acute ethanol intoxication, 765
 - human, microsomal fatty acid desaturase, 315
 - lipids in rat, 202
 - ovine, cholesterol ester synthesis, fatty acid specificity, 790
 - ovine, lipogenesis after feeding safflower oil, 284
 - rabbit, fatty acid profile, PL, TG and CE, 555
 - alices, fraction of damaged cells, 673
 - triglyceride, fatty acid distribution, dietary fat, 404
- Liver**, rat, adaptive changes in $\Delta 9$ fatty acid desaturase activity, 360
- bile acid metabolism, 571
 - cardiolipin and phospholipids after laparotomy, 267
 - cardiolipin and phospholipids during regeneration, 267
 - cholanoic acids, identification and quantitation, 340
 - $\Delta 6$ desaturase system, fractionation, 348
 - drug metabolism, dietary fats, 467
 - effect of diet on fatty acid profile of individual phospholipids, 736
 - ethanol intoxication, triglyceride accumulation, 765
 - fatty acid comp of lipid classes, effect of diet, 773
 - fatty acid profile of individual phospholipids, normal tumor, host, 736
 - hepatoma 7288CTC, isomeric monoenoic acids, 746
 - hydrolysis of α -tocopheryl esters, 627
 - incorporation γ -linolenic acid, linoleic acid, 417
 - isolated cells, lipogenesis, 673
 - isolated perfused, VLDL, effect of fat type, 773
 - isolation of intact hepatocytes, lipogenesis, 653
 - isolation of intact perenchymal cells, lipogenesis, 653
 - lipid peroxidation, 220
 - lipogenesis, effect of excess cyclic AMP, 673
 - lipogenesis, fatty acid synthetase, physical training, exhaustion, 491
 - lipogenesis by intact hepatocytes, effect of diabetes, 653
 - metabolism of cholesterol precursors, 623
 - methionine-choline deficiency, 157
 - microsomal enzymes, 168
 - microsomes, cholesterol, protein, protein-lipid binding, dietary fat, 461
 - microsomes, phosphatidyl inositol biosynthesis, 483
 - morphogenesis of mitochondria during regeneration, 267
 - phosphatidyl choline metabolism, 157
 - polyunsaturated fatty acids, 175
 - pregnancy and lactation, 643
 - reduction of unsaturated sterols, inhibition, 9
 - regulation of lipogenesis, 757
 - stereospecific anal of triglycerides, normal, host and tumor, 404
- Liver mitochondria**, rat, dietary fat, hypophysectomy, lipid comp, 75
- dietary fat, hypophysectomy, swelling, enzyme activity, 75
- Lung**, rat, metabolism of α -monopalmitin in vitro, 721
- Lupeol**, isolation from shea butter, 808
- Lymph**, rat, disappearance ($t_{1/2}$) of lipid ^{14}C , 840
- Lysolipid**, See lysophosphatidylethanolamine
- Lysophosphatidylcholine**, mosquito cells in culture, fatty acid profile, 686
- Lysophosphatidylcholine acyltransferase**, intestinal, gold Syrian hamster, 318
- Lysophosphatidylethanolamine**, bacteriophage infected *E. coli*, 497
- Lysophosphatidylglycerol**, bacteriophage infected *E. coli*, 497

M

- Macrophomina phaseolina**. See Fungi
- Malic enzyme**, activity in rat testis, 783
- Malonaldehyde**, nonspecificity of the thiobarbituric acid reaction, 309
- phosphatidyl ethanolamine, Schiff base model, 441
- Mammary**, mouse, stearoyl-CoA desaturase in adenocarcinoma, 835
- Mammary gland**, bovine, fatty acid synthetase, properties, 227
- mouse, triglyceride synthesis, effect of glucose, 409
 - rat, tumor lipids, fatty acids, 70
- Manduca sexta** (L.), effect of azasteroids on development, 615
- See Larva, tobacco hornworm
- Marine fish**, assessment of essential fatty acid deficiency, 528
- unsaturated fatty acid metabolism, 528
- Marker enzymes**, subcellular fractions after centrifugation, 783
- Mass fragmentographs**, fatty acid *t*-butyldimethylsilyl esters, 714
- monoacyldiglycerides from acetylation of PC, 667
 - plant sterols, trimethylsilyl ethers, 566
 - pyrrolidides of branched fatty acids, 716
- Mass spectrograph**, chemical ionization, detector for GLC, 800
- Melanoplus sanguinipes**. See Grasshopper
- Melon**, dolphin, wax esters, triglycerides, fatty acids, fatty alcohols, 44
- Membranes**, bacterial, phosphatidylglycerol diglyceride, function, 421
- microsomal, reaction with phosphatidyl inositol antisera, 294
 - organization, effect of added cholesterol, 535
 - synaptic, reaction with phosphatidyl inositol antisera, 294
 - synthetic, ordering and structure of component lipids, 535
 - synthetic, spin label, 535

- Membranes, mitochondrial**, rat liver, dietary fat, permeability, enzyme activity, 75
 — rat liver, hypophysectomy, dietary fat, lipid comp, 75
 — rat liver, hypophysectomy, permeability, enzyme activity, 75
 — reaction with phosphatidyl inositol antisera, 294
- Mercury**, effect on lipoproteins in salmon, 253
- Merlin**. See Birds, of prey
- Metabolism**, bile acids in rat liver, 571
 — Δ^5 desaturase in cultured cells, 726
 — fatty acid in liver, acute ethanol intoxication, 765
 — linolenic acid in rat brain, 238, 242
 — lipid, effect of adenocarcinoma, 835
 — lipid, lactating and pregnant rats, 643
 — L-(methyl- ^{14}C)-methionine in insects, 82
 — oxidative, effect of erucic acid, 335
 — phospholipids, in insects, 82
- Metamorphosis**, effect of juvenile hormone analogs, 353
- Methane**, formation from cholesterol in colon, 662
 — production by intestinal flora, 662
- Methanol**, isomerase catalyzed substitution of linoleic acid hydroperoxide, 448
- Methionine**, methyl- ^{14}C , methylation of phospholipids, in insects, 82
- Methionine-choline deficiency**, phosphatidyl choline fatty acids, 157
 — rat liver, phosphatidyl choline metabolism, 157
 — rat plasma, phosphatidyl choline metabolism, 157
- 7-Methoxycholesterol-5-en- β -ol**, chemical synthesis, characterization, 93
 — epimers, artifacts, human aorta, 93
- Methoxyhalogeno derivatives**, fatty acid esters, prep, MS, 55
- Methoxymercuriacetate adducts**, fatty acid esters, demercuration, 55
- 2,2'-[1-(Methyl-4,4-diphenylbutylidene)bis(p-phenyleneoxy)]bisriethylamine oxalate**. See SQ 10,591
- 7-Methyl-7-hexadecen-1-ol**, whale oil, oxidative ozonolysis, 478
- 7-Methyl-7-hexadecenoic acid**, whale oil, GLC, mass spectrum, NMR, oxidative ozonolysis, 478
- 5-Methyl-4-tetradecenoic acid**, whale oil, GLC, mass spectrum, NMR, oxidative ozonolysis, 478
- Methylation**, phospholipid by methionine, in insects, 82
- β -Methylcholine**, condensation with phosphatidic acid, 20
- 24-Methylene-5 α -dammar-20[21]-en- β -ol**, isolation from shea butter, TLC, GLC, NMR, mass spectra, 808
- 24-Methylenecycloartanol**, in vegetable oils, 634
- 24-Methylenelanol-9(11)-en- β -ol**, argentation TLC, GLC, 454
 — isolation from shea butter, 454
 — optical activity, 454
 — structure, IR, NMR, MS, CrO_2 oxidation, 454
 — synthesis, 454
- Methylmalonuria**, vitamin B₁₂ deficient baboons, 855
- Microscopy**, electron, fat absorption in the rat, 840
- Microsomal membranes**, reaction with phosphatidyl inositol antisera, 294
- Microsomes**, rabbit tissue, cholesterol esterification, 105
- Microsomes**, rat liver, cholesterol content, dietary fat, 461
 — effects of dietary fat, 461
 — phosphatidyl inositol biosynthesis, 488
 — protein content, dietary fat, 461
 — protein-lipid binding, dietary fat, 461
- Microwave irradiation**, prevention of postmortem enzymatic changes, 290
- Migration**, acyl, acetylase or phospholipase C treatment of PC, 667
- Milk**, mouse, triglyceride synthesis, 409
- Mitochondria**, rabbit tissues, cholesterol esterification, 105
 — rat liver, dietary fat, hypophysectomy, swelling, enzyme activity, 75
 — rat liver, dietary fat, hypophysectomy, lipid comp, 75
 — rat testis, fatty acid synthesis, 814
 — role in lipogenesis, 757
- Mitochondrial membranes**, reaction with phosphatidyl inositol antisera, 294
- Molecular species**, bovine kidney, intestinal mucosal sphingomyelin, 17
 — phosphatidyl inositol, argentation TLC, 483
 — rat plasma lipoprotein lipids, choline deficiency, 374
- Molecular weight**, lipofuscin, gel permeation, osmometry, ultracentrifugation, 383
- Monkey**, African green, macaque, sterol balance studies, 25
- Monoacetyldiglycerides**, TLC, GLC, mass spectra, 667
- Monoglycerides**, hydrolysis by salmon lipase, 575
 — structure and organization in synthetic membranes, 535
- Monopalmitin**, metabolism in rat lung in vitro, 721

- Mosquito**, cell cultures, growth phases, lipid comp, fatty acid profile, 99
 — yellow fever, effect of azasteroids on development, 615
- Mosquito cells**, tissue culture, phospholipid comp, growth phase, 685
- Moss**, acetylenic acids, structure, 501
 — phytol and phytanoyl wax esters, 656
- Mouse**, brain, phosphatides, fatty acid metabolism, EFA deficiency, 365
 — brain, recovery from EFA deficiency, 365
 — fatty acids of mammary adenocarcinoma lipids, 641
 — mammary, stearoyl-CoA desaturase in adenocarcinoma, 835
 — quaking, testis, lipid comp, fatty acid profile, 109
 — spleen, enzymes of PC synthesis after viral infection, 829
 — triglyceride synthesis by mammary gland, effect of glucose, 409
 — tumor, extracellular fluid lipids, 770
- Mucosa**, bovine intestine, sphingomyelin molecular species, 17
 — duodenal, rat, cholesterol, phospholipid, protein, dietary fat, 461
 — duodenal, rat, drug metabolism, dietary fats, 467
 — gastric, rat, cholesterol, phospholipid, protein, dietary fat, 461
 — intestinal, fat absorption in the rat, 840
- Musca domestica L.**, effect of azasteroids on development, 615
 — See Larva, house fly
- Muscle**, rat, cholanolic acids, identification and quantitation, 340
 — Mung bean, UDP-glucose-glycolipid, glucosyl transferase, 427
- Mycobacterium smegmatis**, UDP-glucose-glycolipid, glucosyl transferase, 427
- Myelin**, reaction with phosphatidyl inositol antisera, 294
- Myocardial lesions**, rat heart, severity index, 511

N

- NADP/NADPH ratio**, in lipogenesis, regulation, 757
- Neomycin**, bile acid excretion, glucose administration, fasted rats, 473
- Neonatal calf**, lipids of skin secretions, 128
 — plasma lipids, 128
- Neuronal cells**, rabbit, phosphatidyl ethanolamine synthesis, 121
- Neutral fat**, rainbow trout, fatty acid profile, 63
- Neutral lipids**, mosquito cells in culture, fatty acid profile, 99
 — rat mammary tumor, fatty acid profile, 70
- p-Nitroanisole O-demethylase**, rat liver, dietary fats, 467
- Nucleotide pool**, effect of dibutyryl cyclic AMP, 673
 — effect of excess cyclic AMP, 673
- Nuts**, *Butyrospermum parkii*, shea butter triterpene alcohols, 808
 — monomethyl and dimethyl sterols, GLC, TLC, 634

O

- Obtusifolius**, in vegetable oils, 634
- 9,12-Octadecadien-6-ynoic acid**, from moss triglyceride, 501
- cis-5,cis-9-Octadecadienoic acid**, methyl ester, IR, NMR, MS, 502
 — methyl ester, GLC, argentation TLC, 502
 — ozonolysis, 502
 — in *Taxus baccata* seed oil, 502
- cis-9,trans-11-Octadecadienoic acid, 13-hydroxy-**, isolation and characterization, mass spectrum, 847
- trans-10,cis-12-Octadecadienoic acid, 9-hydroxy-**, isolation and characterization, mass spectrum, 847
- Octadecadienoic acids**, mass spectra, 215
- Octadecanoylpyrrolidine, 9-DL-methyl-**, mass spectra, 716
- Octadecapentaenoic acid**, GLC, IR, NMR, mass spectrum, 395
 — photosynthetic dinoflagellates, 395
- cis-9-Octadecenoic acid, 11-hydroxy-12,13-epoxy-**, isolation, characterization, mass spectrum, 847
- cis-12-Octadecenoic acid, 11-hydroxy-9,10-epoxy-**, isolation, characterization, mass spectrum, 847
- trans-10-Octadecenoic acid, 9,12,13-trihydroxy-**, isolation, characterization, mass spectrum, 847
- trans-11-Octadecenoic acid, 9,10,13-trihydroxy-**, isolation, characterization, mass spectrum, 847
- Oil**, sperm whale, argentation TLC, GLC, fatty acids, alcohol acetates, 478
 — sperm whale, branched chain hexadecenoic acids, alcohols, isolation structure, 478
 — vegetable, methylsterols, 634
- Oilseed**, *Butyrospermum parkii*, shea butter triterpene alcohols, 808

- LIPIDS, VOL. 10, NO. 12

- Phospholipids**, bacteriophage infected *E. coli*, 497
- bases, fractionation, paper chromatography, 82
 - fungi, TLC, 185
 - hepatic, after laparotomy or partial hepatectomy, 267
 - insects, metabolism, methylation by methionine, 82
 - liver, in pregnant and lactating rats, 843
 - monoenic fatty acids, in hepatoma cells, 194
 - mosquito cells in culture, fatty acid profile, 99
 - rainbow trout, fatty acid profile, 63
 - rat gastric mucosa, duodenal mucosa, dietary fat, 461
 - rat mammary tumor, fatty acid profile, 70
 - in soybean cell cultures, 597
 - structure and ordering in synthetic membranes, 535
 - synthesis in insect *C. capitata*, 532
 - testis, quaking mouse, fatty acid profile, 109
- Phosphoryl choline**, transfer, lecithin to sphingomyelin, phospholipase C, 391
- Phosphorylation potential**, in lipogenesis in liver, 757
- Phytenic acid**, chemical synthesis from phytol, 656
- wax esters of mosses and grasses, 656
- Phytol**, wax esters of mosses and grasses, 656
- Phytophingosine**, in bovine tissue sphingomyelins, 17
- Pig adrenal**, fatty acid profile, subcellular fractions, CE, FFA, TG, PC, PE, DPG, 707
- Plant**, ivy, juvenile and adult, sterol metabolism, 542
- Plasma**, human, LCAT activity in clofibrate treated patients, 804
- human, lipid and lipoprotein values, comparative methodology, 750
 - linoleic acid, neonatal calf, 128
 - lipids, neonatal calf, 128
 - ovine, cholesteryl esters, LCAT, 790
- Plasma**, rat, fatty acid comp of lipid classes, effect of diet, 773
- free fatty acid metabolism during acute ethanol intoxication, 765
 - methionine-choline deficiency, 157
 - phosphatidyl choline metabolism, 157
 - incorporation γ -linolenic acid, linoleic acid, 417
- Plasma lipoproteins**, choline-deficient rat, lipid fatty acid profiles, 374
- choline-deficient rat, lipid molecular species, 374
 - choline-deficient rat, lipid profiles, 374
 - choline-deficient rat, ultracentrifugation, 374
- Platelets**, rabbit, prostaglandin synthesis in vitro, 57
- Pregnancy**, effect on rat liver lipids, 643
- Primates**, nonhuman, fecal flow marker, sterol balance studies, 25
- Procentrum minimum**. See Dinoflagellates, photosynthetic
- Prostaglandins**, hypercholesterolemia and synthesis, 57
- and precursors in rabbit renal lipids, 555
 - synthesis in vitro, rabbit platelets, 57
- Protein**, deficiency, liver lipid peroxidation, 220
- in rat liver microsomes, dietary fat, 461
- Protein-lipid binding**, trypsin sensitive, in rat liver microsomes, dietary fat, 461
- Pyrolysis**, reaction product of ergosteryl acetate and maleic anhydride, 517
- Pyrolytides**, fragmentation patterns, 215
- location of double bonds in polyenes, 215
 - mass spectra, 215
- Pumpkin leaves**, lipid metabolism, 609
- Pyruvate dehydrogenase**, effect of diet on activity in liver, 757
- role in regulation of lipogenesis, 757
 - stimulation by dichloroacetate, 757
- Q**
- Quaking mouse**, testis, lipid comp, fatty acid profile, 109
- Quench correction**, scintillation counting with internal vial, 312
- R**
- Rabbit**, aorta, cholesteryl ester hydrolase, purification and properties, 322
- brain, phosphatidyl ethanolamine synthesis, 121
 - liver, fatty acid profile, PL, TG and CE, 555
 - neuronal cells, phosphatidyl ethanolamine synthesis, 121
 - platelets, prostaglandin synthesis in vitro, 57
 - renal medullary lipids, 555
 - spleen, fatty acid profile, PL, TG and CE, 555
 - testis, fatty acid profile, PL, TG and CE, 555
 - tissue cholesterol esterification, inhibition, SQ 10,591, 105
- Rapeseed oil**, cardiac lesions in rat, 511
- effect on rat heart lipids, 511
 - erucic acid metabolism in rat heart, 335
 - fractionation, 505
- Rat**, absorption of α -tocopherol esters, 627
- adipose, fatty acid comp, effect of diet, 773
 - adipose, lipogenesis, fatty acid synthetase, physical training, exhaustion, 491
 - aorta, cholesteryl ester hydrolase, purification and properties, 322
 - bile, cholesterol, effect of phenobarbital, 168
 - bile acids, effect of phenobarbital, 168
 - bone marrow, effect of diets, high protein, carbohydrate or fat, 584
 - bone marrow, lipid comp, 584
 - heart, effect of feeding rapeseed oil fractions, 511
 - hepatoma lipids, 202
 - hydrolysis of α -tocopherol esters, 627
 - intestine, cholesterol degradation, 662
 - intestine, hydrolysis and absorption of α -tocopherol esters, 627
 - intestine, proximal versus distal fat absorption, 840
 - lung, metabolism of α -monopalmitin in vitro, 721
 - lymph, disappearance ($t = 1/2$) of lipid ^{14}C , 840
 - metabolism of linolenic acid in brain, 238, 242
 - pancreatic lipase and colipase, 260
 - suckling, fatty acids in brain phospholipids, 175
 - suckling, fatty acids in liver lipids, 175
 - suckling, incorporation γ -linolenic acid, linoleic acid, brain, liver, plasma, 417
 - testis, fatty acid biosynthesis in vitro, 783
 - testis, fatty acid synthesis, mitochondria, cytosol, 814
 - uterus, fluorescent pigment in vitamin E deficiency, 307
 - various tissues, cholanoic acids, identification and quantitation, 340
- Rat**, brain, incorporation of γ -linolenic acid, 417
- linolenic acid metabolism, 238, 242
 - polyunsaturated fatty acids, 175
 - postmortem formation of free fatty acids, 290
- Rat**, liver, adaptive changes in $\Delta 9$ fatty acid desaturase activity, 360
- bile acid metabolism, 571
 - cardiolipin and phospholipids after laparotomy, 267
 - cardiolipin and phospholipids during regeneration, 267
 - cholesterol, effect of phenobarbital, 168
 - $\Delta 6$ desaturase system, fractionation, 348
 - drug metabolism, dietary fats, 467
 - effect of diet on fatty acid profile of individual phospholipids, 736
 - effect of phenobarbital on peroxidation, 220
 - fatty acid comp of lipid classes, effect of diet, 773
 - fatty acid profile, individual phospholipids, normal, tumor, host, 736
 - hepatoma 7288CTC, isomeric monoenoic acids, 746
 - hydrolysis of α -tocopherol esters, 627
 - incorporation of γ -linolenic acid, 417
 - isolated cells, lipogenesis, 673
 - isolated perfused, VLDL, effect of fat type, 773
 - isolation of intact hepatocytes, lipogenesis, 663
 - isolation of intact perenchymal cells, lipogenesis, 663
 - lipid metabolism in acute ethanol intoxication, 765
 - lipids, 202
 - lipids during pregnancy and lactation, 643
 - lipogenesis, effect of excess cyclic AMP, 673
 - lipogenesis, fatty acid synthetase, physical training, exhaustion, 491
 - lipogenesis, intact hepatocytes, effect of diabetes, 653
 - methionine-choline deficiency, 157
 - microsomal enzymes, 168
 - microsomes, cholesterol, protein, protein-lipid binding dietary fat, 461
 - microsomes, metabolism of cholesterol precursors, 623
 - morphogenesis of mitochondria during regeneration, 267
 - peroxidation of lipids, 220
 - polyunsaturated fatty acids, 175
 - pyruvate dehydrogenase in regulation of lipogenesis, 757
 - regulation of lipogenesis, 757
 - stereospecific anal of triglycerides, normal, host and tumor, 404
 - triglyceride accumulation during acute ethanol intoxication, 765
- Rat**, plasma, cholesterol, effect of phenobarbital, 168
- fatty acid comp of lipid classes, effect of diet, 773
 - incorporation of 18:3 ω 6 linolenic acid, 417
 - methionine-choline deficiency, 157
- Rattlesnake**, nonspecific lipase, 562
- Rauscher virus**, effect on enzymes of PC synthesis in mouse spleen, 829
- Refractive index**, phase transition detection, lipids, 115
- Renal lipids**, rabbit, 555
- Retina**, glucocerebroside synthesis in chicken, 545
- Rhizobium**, branched fatty acids, 134
- Riboflavin deficiency**, liver lipid peroxidation, 220

Roots, cotton, fatty acids, 191

— lipids, 191

Ruminant, incorporation of protected 18:2 into adrenal CE, 649

— incorporation of protected 18:2 into bile PC, 645

— plasma cholesteryl ester fatty acid comp, 790

Rye, effect of temperature on 18:3 in seedlings, 331

S

Salmo gairdneri. See Trout

Salmon, serum lipoproteins, effect of mercury and cadmium, 253

Salt glands, fatty acid profiles of PC and PE in marine birds, 299

— phospholipid classes in marine birds, 299

Sardinian muscivora, cyanolipids, 33

— seed oil, fatty acid profile, triglyceride structure, 33

Schiff base, model, fluorescence spectra, 441

Scintillation counting, quench correction with internal vial, 312

Scophthalmus maximus L. See Turbot

Secale cereale. See Wheat

Seedlings, desaturase activity in wheat and rye, temp effect, 331

Serum, human, plant sterols in, 566

— swine, lipoproteins, lipid comp, 41

Shark, nonspecific lipase, 562

Shea butter, triterpene alcohols, isolation, structure, 454

— TLC, GLC, NMR, mass spectra, 806

Sheep, adrenals, cholesterol esters, 649

— bile, diet and fatty acids of phosphatidyl choline, 645

— liver, cholesteryl ester synthesis, fatty acid specificity, 790

— plasma, cholesteryl ester synthesis, LCAT, 790

Shift reagents, Eu(fod)₃ and Pr(fod)₃, 145

Silicic acid, quench correction of heterogeneous media in scintillation counting, 312

Sitosterol, dealkylation by *Tetrahymena pyriformis*, 140

— β -Sitosterol, absorption, nonhuman primates, 25

— conc in rapeseed oil fractions, 505

— fecal flow marker, sterol balance studies, 25

— in human serum, 566

Skin secretions, linoleic acid, neonatal calf, 128

— lipids, neonatal calf, 128

Snake pancreas, nonspecific lipase, 562

Solanum melongena. See Eggplant

Sotalia fluviatilis. See Dolphin, freshwater

Soybean, lipoxigenase, dienone formation, 568

— lipoxigenase isozymes and pentane production, 568

— lipoxigenase L-1, isolation, characterization secondary products, guaiacol, 847

— suspension cultures, acetate incorporation into fatty acids, 597

Sparrowhawk. See Birds, of prey

Spectra, ¹³C-NMR, phosphatidyl carnitine, phosphatidyl β -methylcholine, 20

Spectra, electron paramagnetic resonance, synthetic membranes, 535

Spectra, electron spin resonance, salmon lipoproteins, 253

Spectra, fluorescence, lipofuscin, human brain, 383

— Schiff base compounds, peroxidized lipid, 441

Spectra, infrared, acetylenic fatty acids from moss, 501

— dienolic fatty acids, 12

— fatty acid esters, Japanese larch seed oil, 413

— α -hydroxy and C₁₇ fatty acids, 703

— linoleic acid hydroperoxide substitution products, 448

— lipofuscin, human brain, 383

— 24-methylenelanost-9(11)-en-3 β -ol, acetate, 454

— 5,9-octadecadienoic acid ester, 502

— octadecapentaenoic acid, dinoflagellates, 395

— sterol derivatives, 93

Spectra, mass, acetylenic fatty acids from moss, 501

— alkanes, beef heart lipids, 67

— azasteroids, related N-containing steroids, 615

— bile acids, 571

— branched chain, hexadecenoic acids, 478

— branched fatty acids, 134

— ceramide trimethylsilyl derivatives, 17

— cholanolic acids, 340

— dienolic fatty acids, 12

— epoxy acids, 87

— fatty acid *t*-butyldimethylsilyl esters, 714

— furanoid fatty acids from fish, 695

— glycolipids, sterol glucosides, 427

— α -hydroxy and C₁₇ fatty acids, 703

— juvenile hormone analogs, 353

— keto acids, 87

— α - and γ -ketols from linoleate-9- or 13-hydroperoxide, 602

— linoleic acid hydroperoxide substitution products, 448

— lithocholic and chenodeoxycholic acid, 340

— methoxyhalogeno fatty acid esters, 55

— 9-DL-methyl-octadecanoylpyrrolidone, 716

— 24-methylenelanost-9(11)-en-3 β -ol, acetate, 454

— monoacyldiglycerides from acetylols of FC, 667

— monomethyl and dimethyl plant sterols, 634

— ¹⁴C-labeled 3-hydroxylauric acid, 818

— 5,9-octadecadienoic acid ester, 502

— octadecapentaenoic acid, dinoflagellates, 395

— plant sterols, 542

— plant sterols in human serum, 566

— polyunsaturated fatty acid pyrrolidides, 215

— secondary alcohols from grasshopper cuticular lipids, 303

— secondary oxidation products, soybean lipoxigenase plus guaiacol, 847

— stigmasteryl glycoside from ivy, 542

— α -tocopheryl esters, 627

— triterpene alcohols from shea butter, 808

— triterpenoids from thistle seed oil, 208

Spectra, nuclear magnetic resonance, azasteroids, related

N-containing steroids, 615

— branched chain, hexadecenoic acids, 478

— dienolic fatty acids, 12

— fatty acid esters, Japanese larch seed oil, 413

— α -hydroxy and C₁₇ fatty acids, 703

— α - and γ -ketols from linoleate-9- or 13-hydroperoxide, 602

— linoleic acid hydroperoxide substitution products, 448

— lipofuscin, human brain, 383

— 24-methylenelanost-9(11)-en-3 β -ol, acetate, 454

— 5,9-octadecadienoic acid ester, 502

— octadecapentaenoic acid, dinoflagellates, 395

— α -tocopheryl esters, 627

— triterpene alcohols from shea butter, 808

Spectra, proton magnetic resonance, isomeric triglycerides, 145

Spectra, ultraviolet, acetylenic fatty acids from moss, 501

— decomposition products, fatty acid hydroperoxides, 87

— 5,7-ergostadien-3 β -ol and related compounds, 517

— fatty acid esters, Japanese larch seed oil, 413

— lipofuscin, human brain, 383

Sperm whale oil, argentation TLC, GLC, fatty acids, alcohol acetates, 478

— branched chain hexadecenoic acids, alcohols, isolation, structure, 478

Spermatogenesis, testis, quaking mouse, 109

Sphingomyelin, fatty acid profile rat liver, normal, tumor, host, 736

— molecular species, bovine kidney, intestinal mucosa, 17

— mosquito cells in culture, fatty acid profile, 686

— phytylphosphoglycerate, 2-hydroxy fatty acids, 17

— synthesis from lecithin, oleoyl sphingosine, 391

Sphingosine, oleoyl, phosphoryl choline transfer from lecithin, phospholipase C, 391

Spin labels, synthetic membrane structure, 535

Spinach leaf, cell-free system for 18:3 synthesis, 818

Spleen, mouse, enzymes of PC synthesis after viral infection, 829

— rabbit, fatty acid profile. PL, TG and CE, 555

SQ 10,591, cholesterol esterification, rabbit tissues, inhibition, 105

Stearoyl-CoA desaturase, mouse mammary adenocarcinoma, 335

Stercospecific analysis, Cruciferae triglycerides, 732

— human lipoprotein TG and PC, 270

— minimal deviation hepatoma PC, PE and TG, 548

— nonspecific lipase from a snake and a fish, 562

— rat liver PC and PE, normal, tumor, host, 736

— triglycerides, liver, hepatoma, 404

Steroids, nitrogen containing, synthesis, properties, IR, NMR, mass spectra, 615

Sterol derivatives, isolation, human aorta, 93

— TLC, GLC, IR, 93

Δ^2 -Sterol reductase, effect of juvenile hormone analogs, 353

Sterols, in adult and juvenile ivy, 542

— dimethyl-, TLC, GLC, 20 vegetable oils, 634

— dtm in rapeseed oil fractions, 505

— 24-ethyl-, dealkylation, 140

— 24-ethyl-, metabolism by *Tetrahymena pyriformis*, 140

— metabolism in Mexican bean beetle, 524

— methyl-, GC, 634

— methyl-, in vegetable oils, 634

— plant, in human serum, 566

— plant, metabolism in a phytophagous insect, 524

— rapeseed oil fractions, 505

— in sterol glucosides, GLC-MS, 427

— unsaturated, enzymatic reduction, inhibition, 9

Δ^7 -Sterols, double bond introduction by a phytophagous insect, 524

Steryl glucosides, acylated, structure, biosynthesis, 427

— structure, biosynthesis, 427

Stigmast-7-en-3 β -ol, from ivy, 542

Stigmasteryl, dealkylation by *Tetrahymena pyriformis*, 140

— in human serum, 566

- Stigmasterol glycoside**, in ivy, mass spectra, 542
Streptococcus faecalis, phosphatidylkojibiosyl diglyceride, membrane-bound, 421
Sucrose, TBA chromogen formation with acetaldehyde, 309
Swine, miniature, aorta, cholesterol, cholesteryl ester content, 41
 — hyperbetalipoproteinemia, 41
 — serum lipids, lipoproteins, 41
Synaptic membranes, reaction with phosphatidyl inositol antisera, 294
Synthetase, fatty acid, bovine, properties, 227

T

- Taurocholic acid**, sodium salt, effect on lipases from various species, 562
Tetris baccata, seed oil, fatty acid profile, 502
Terpene, tri-, 24-methylenedammarenol from shea butter, 808
Testis, human, lipid soluble fluorescent pigments, 591
 — lipid, rat, peroxidized, fractionation, fluorescence spectra, 441
 — quaking mouse, histology, spermatogenesis, 109
 — quaking mouse, lipid comp, fatty acid profile, 109
 — rabbit, cholesterol esterification, inhibition, SQ 10,591, 105
 — rabbit, fatty acid profile, PL, TG and CE, 555
 — rat, fatty acid biosynthesis in vitro, 783
 — rat, fatty acid synthesis, mitochondria, cytosol, 814
Tetrahymena pyriformis, branched fatty acids, wax esters, 260
 — dealkylation of 24-ethylsterols by, 140
 — lipids, fractionation, isolation, 437
 — sterol, GLC-MS, 437
 — sterol biosynthesis, inhibition, 437
 — wax esters, 260
Thioarbutic acid test, nonspecificity, 309
Thistle, seed oil, 208
 — triterpenoids in seed oil, 208
Tissue culture, mosquito cells, phospholipid comp, growth phase, 686
 α -Tocopherol, absorption of esters in rat, 627
 — effect on fluorescent pigment levels in rat uterus, 307
 — esters, TLC, 627
 — hydrolysis of esters in rat, 627
 — liver lipid peroxidation, 220
 — prep of 3 H-labeled, 627
Transacylase, steryl glucosides, chromatography, saphadex, 427
Transphosphatidylase, bacterial phosphatidylkojibiosyl triglyceride, 421
Tree, *Butyrospermum parkii*, shea butter triterpene alcohols, 808
Tribolium confusum, effect of azasteroids on development, 615
 — See Larva, beetle, confused flour
Tricosan-10-ol, grasshopper cuticular lipids, 303
Tricosan-11-ol, grasshopper cuticular lipids, 303
Tricosan-12-ol, grasshopper cuticular lipids, 303
n-Tricosane, hydroxylation in grasshopper cuticular lipids, 303
Triglyceride structure, *Sapindus mukorossi* seed oil, 33
Triglyceride synthesis, mouse mammary gland, from glucose, 409
 — mouse mammary gland, glucose stimulation, 409
Triglycerides, biosynthesis in hepatoma, 404
 — Cruterae, stereospecific anal, fatty acid profile, 732
 — Ehrlich ascites carcinoma, extracellular, 770
 — fatty acid profile, porcine adrenal, microsomes, mitochondria, cytosol, 707
 — GLC, 44
 — hydrolysis in fish, 575
 — isomeric, positional anal, 145
 — isomeric, proton magnetic resonance spectra, 145
 — isomeric monoenic acids in hepatoma, 746
 — liver, hepatoma, fatty acid distribution, dietary fat, 404
 — liver, in pregnant and lactating rats, 643
 — melon, jaw, blubber lipids, freshwater dolphin, 44
 — monoenic fatty acids, in hepatoma cells, 194
 — non-random distribution in Cruterae, 732
 — plasma, human, normal population values, 750
 — plasma and tumor extracellular fluid, estimation, 770
 — rapeseed oil, cardiopathogenicity of pure fractions, 511
 — rat plasma lipoproteins, molecular species, fatty acid profiles, 374
 — separation by HPLC, 162
 — stereospecific anal, 404
 — stereospecific anal, cultured hepatoma cells, 548
 — stereospecific anal in type IIa hyperlipoproteinemia, 270

- swine serum, aorta, 41
 — testis, quaking mouse, fatty acid profile, 109
Triterpene, 24-methylenedammarenol from shea butter, 808
Triterpene alcohols, shea butter, isolation, structure, TLC, GLC, mass spectrum, 454
Triterpenoids, thistle seed oil, 208
Triticum sp., See Rye
Trout, fatty acid elongation and desaturation, 528
 — rainbow, dietary linoleic, linolenic, growth, lipid metabolism, 63
 — rainbow, essential fatty acid requirement, 63
 — rainbow, neutral fat, phospholipids, fatty acid profile, 63
Trypsin, protein-lipid binding, in rat liver microsomes, dietary fat, 461
Tumor, Ehrlich ascites carcinoma, in mice, extracellular fluid triglycerides, 770
 — hepatoma 7288C, stereospecific anal of PC, PE and TG, 548
 — hepatoma 7288CTC, isomeric monoenic acids, 746
 — lipid metabolism of adenocarcinoma, 835
 — lipids, nonrandom fatty acid distribution in PE, PC, and TG, 548
 — liver, triglyceride, fatty acid distribution, dietary fat, 404
 — minimal deviation hepatoma 7288C in cell culture, 726
 — mouse mammary adenocarcinoma, fatty acids of lipid classes, 641
 — rat mammary, 7,12-dimethylbenz(a)anthracene induced, 70
 — rat mammary, lipid classes, fatty acid profiles, 70
Turbot, fatty acid elongation and desaturation, 528
 — requirement for polyunsaturated fatty acids, 528

U

- UDP-glucose**, glycolipids, glycosyl transferase, 427
UDP-glucose: ceramide glucosyltransferase, cerebroside synthesis in chicken retina, 545
Ultracentrifugation, analytical, comparison with agarose gel electrophoresis, 750
 — analytical, human plasma lipid and lipoprotein patterns, 750
 — human plasma lipoproteins, 270
 — molecular weight dnm, lipofuscin, 383
 — rat plasma lipoproteins, 374
 — swine serum lipoproteins, 41
Urea complex, fractionation, *Sapindus mukorossi* seed oil, 33
Uridine diphosphate glucuronosyltransferase, rat liver, dietary fats, 467
Uropigial gland, birds of prey, lipid comp, chemotaxonomy, 1
Uterus, rat, fluorescent pigment in vitamin E deficiency, 307

V

- Vaccenic acid**, hepatoma cells, 194
 — in hepatoma 7288CTC lipids, 746
Virus, Friend, effect on enzymes of PC synthesis in mouse spleen, 829
 — oncogenic, effect on enzymes of PC synthesis in mouse spleen, 829
 — Rauscher, effect on enzymes of PC synthesis in mouse spleen, 829
Vitamin E, fluorescent pigment formation in rat uterus, 307
 — See Tocopherols

W

- Wax esters**, GLC, 44
 — hydrolysis in fish, 575
 — melon, jaw lipids, freshwater dolphin, 44
 — in moss and grass, methanolysis conditions, 656
 — *Tetrahymena pyriformis*, 260
Waxes, avian uropigial gland lipids, characterization, 1
Weevil, pecan, male, female, larvae, hydrocarbon comp, 117
Whale, sperm, oil, argentation TLC, GLC, fatty acids, alcohol acetates, 478
 — branched chain hexadecenoic acids, alcohols, isolation, structure, 478
Wheat, effect of temp on 18:3 in seedlings, 331
Wheat germ, linoleic acid hydroperoxide isomerase, substitution reactions, 448

